TM 11-5815-200-35P/2

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

EMFO LIBRARY
17 NOV 64
EMFO LIBRARY

DIRECT AND GENERAL SUPPORT AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

TELETYPEWRITER SETS AN/FGC-20X AND AN/UGC-4

EMFO LIBRARY

HEADQUARTERS, DEPARTMENT OF THE ARMY
11 SEPTEMBER 1964

mtr 10/28/65 NP

Oct65

EMFO LIBRARY

26 OCT 65

TM 11–5815–200–35P/2
C 1

CHANGE
No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *30 August 1965*

Direct and General Support and Depot Maintenance Repair Parts and Special Tool Lists TELETYPEWRITER SETS AN/FGC–20X AND AN/UGC–4

TM 11–5815–200–35P/2, 11 September 1964, is changed as follows:

Page 3, paragraph 6, line 13. Change "ATTN: AMSEL–MR–MOC" to ATTN: AMSEL–MR–(NMP)–MA.

Page 17, Federal stock number column, "5815–598–4965." Delete item in its entirety.

Page 18, Federal stock number column, "5815–356–3505." 5th Depot column, add: 10.

Page 22. Make the following changes:

After Item No. 61469, add the following item in the column indicated below:

Source Code column, subcolumn B: P1; subcolumn C: F.

Federal stock number column: 5340–902–4152.

Designation by model column, subcolumns 1, 2, 3, and 4: +.

Description column: SPRING, HELICAL EXTENSION: Kleinschmidt part 68126 (Authorized allowances based on a total of 12).

Qty in unit column: 6.
3rd-Field column: (3.5).
4th-Field column: 1.5.
5th Depot column: 120.
Item No. column: 68126.

Federal stock number column, change 5305–983–6651 to 5305–593–6651.

Page 27, Federal stock number column, "5305–333–5046." Add the following:

3rd-Field, column: (2.3). 4th-Field column: 0.9. 5th Depot column: 60.

Page 36, Federal stock number column. Change 5305–514–7228 to 5305–514–7728.

Page 37, Federal stock number column. Change 5305–655–6955 to 5305–593–6651.

Page 41, Federal stock number column, "5310–186–7410." Qty in Unit column, add: 11.

Page 43. Make the following changes:

Federal stock number column, "3110–155–9601." Description column, after FAFNIR part No. 33 KDD 5–FS160, add: (Authorized allowances based on a total of 3).

Federal stock number column, "5315–242–5473." 5th Depot column, add: 10.

Federal stock number column, change 5340–282–0780 to 5340–816–4239.

Page 44. After Item No. 50053, add the following items in the columns indicated below:

Source code				Federal stock number	Designation by model						Description	Qty in unit	3rd-field	4th-field	5th depot	Item No.
A	B	C	D		1	2	3	4	5							
	P1	F		5815–356–3261	+	+	+	+	..	..	CAM SPLINE: Kleinschmidt part 50133.	1	0.7	0.4	3.0	50133
	P1	F		5815–356–3268	+	+	+	+	..	..	PLATE STOP: Kleinschmidt part 50134.	1	0.7	0.4	3.0	50134

EMFO LIBRARY

4/0

Page 47, Federal stock number column, "5815–598–4965." Delete item in its entirety.

Page 48. Make the following changes:

Federal stock number column, "5815–547–7872." Description column, after Sig dwg SC–B–148365, add: (Replaced by 67006A).

Federal stock number column, "5310–209–0098." Description column, change (Authorized allowances see Group 3) to (Authorized allowances based on a total of 3).

Page 53, Federal stock number column. Change 5340–608–5824 to 5815–600–2904.

Page 56. After Item No. 62169, add the following items in the column indicated below:

Source code				Federal stock number	Designation by model						Description	Unit	3rd-field	4th-field	5th depot	Item No.
A	B	C	D		1	2	3	4	5							
	P1	F		5815–682–2235	+	+	+	+	..	..	CLIP RETAINING: Kleinschmidt part 67007.	1	0.7	0.4	3.0	67007
	P1	F		5815–033–9457	+	+	+	+	..	..	CAMSHAFT: Kleinschmidt part 67006A.	1	0.7	0.4	3.0	67006A
	P1	F		5340–902–4152	+	+	+	+	..	..	SPRING HELICAL EXTENSION. (For authorized allowances see Group 3.)	6	..	.	..	67126

Page 57, Federal stock number column, Change 5305–543–5891 to 5305–570–5987.

Page 59, Federal stock number column, "3110–144–8858." Item No. column, change 10575 to 10757.

Page 66, Federal stock number column, "5920–142–4837." Make the following changes:

Federal stock number column, change 5920–142–4837 to: 5920–229–1312. Description column, change MIL type F02GR062A to MIL type F02GR062B.

Page 72, Federal stock number column, "5305–576–6445." 5th Depot column, add: 20.

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
ENGB (1)
CC-E (7)
Dir of Trans (1)
CofEngr (1)
TSG (1)
CofSptS (1)
USAAESWBD (5)
USCONARC (5)
USAMC (5)
ARADCOM (5)
ARADCOM Rgn (2)
OS Maj Comd (4) except
  USAREUR (10)
  USASETAF (5)
LOGCOMD (2)
USAMICOM (4)
USASMC (2)
USACDCEA (1)
USACDCCBRA (1)
USACDCCEA (1)
USACDCOA (1)
USACDCQMA (1)
USACDCTA (1)
USACDCADA (1)
USACDCARMA (1)
USACDCAVNA (1)
USACDCARTYA (1)
USACDCSWA (1)
USACDCCEA (Ft Huachuca) (1)
USACDCEC (10)
MDW (1)
Armies (2) except
  3d USA (5)
  4th USA (5)
  5th USA (5)
  6th USA (5)
  Seventh USA (5)
  EUSA (5)
Corps (2)
USAC (3)
11th Air Aslt Div (3)
507th USASA Gp (2)
508th USASA Gp (2)
318th USASA Bn (2)
319th USASA Bn (2)
320th USASA Bn (2)
177th USASA Co (2)
182nd USASA Co (2)
183rd USASA Co (2)
184th USASA Co (2)
226th USASA Co (2)
Instl (2) except
  Ft Monmouth (70)
  Ft Gordon (10)
  Ft Huachuca (10)
  Ft Carson (19)
  Ft Devens (5)
Svc Colleges (2)
Br Svc Sch (2) except
  USAAMS (5)
  USASCS (10)
  USAARMS (5)
  USASESCS (40)
GENDEP (2)
Sig Sec, GENDEP (5)
Sig Dep (12)
Army Dep (2) except SAAD (30)
  TOAD (14), FTWOAD (10)
  LEAD (7), SHAD (3), NAAD (5)
  SVAD (5), CHAD (3), ATAD (10)
  LBAD (14), UMAD (5)
USASCC (4)
1st USASA Fld Sta (2)
2d USASA Fld Sta (2)
4th USASA Fld Sta (2)
9th USASA Fld Sta (2)
12th USASA Fld Sta (2)
13th USASA Fld Sta (2)
14th USASA Fld Sta (2)
15th USASA Fld Sta (2)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC Inf (2)
USASTC (2)
WRAMC (1)
Army Pic Cen (2)
WSMR (5)
Sig Fld Maint Shops (2)
AMS (1)
USAERDAA (2)

USAERDAW (13)
MAAG, Iran (5)
KMAG (5)
ARMISH (5)
JUSMAT (5)
SHAPE (5)
USA Rsch Spt Gp (5)
1st GM Bde (5)
Units org under fol TOE: (2 copies each except as indicated)
11–5
11–15
11–16
11–18
11–32
11–35
11–37
11–38
11–39
11–55
11–57
11–95
11–97
11–98
11–99
11–117
11–155
11–157
11–237
11–247
11–337
11–500 (AA–AE) (4)
11–527
11–587
11–592
11–597

NG: State AG (3).

USAR: None.

For explanation of abbreviations used, see AR 320–50.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1965—204427/642

EMFC LIBRARY

*TM 11-5815-200-35P/2

Technical Manual
No. 11-5815-200-35P/2

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D. C., *11 September 1964*

TELETYPEWRITER SETS AN/FGC-20X AND AN/UGC-4

			Paragraph	Page
SECTION I.		INTRODUCTION		
		Scope	1	1
		Parts for maintenance	2	2
		Additional repair parts authorization	3	2
		Requisitioning information	4	2
		References	5	3
		Reporting of equipment manual improvements	6	3
II.		FUNCTIONAL PARTS LIST		
		TELETYPWRITERS TT-98/FG, TT-98A/FG, TT-98B/FG, TT-98C/FG		
Group	1	Cover and Copyholder		4
	2	Motor and Governor		8
	2A	Governor		8
	2B	Motor, Universal, 1/23 HP, Howard		10
	2C	Motor, Universal, 1/23 HP, Bodine		11
	2D	Motor, Universal, 1/20 HP, Howard		12
	3	Keyboard Assembly		13
	4	Platten Assembly		22
	5	Carriage Assembly		26
	6	Main Frame Assembly		36
	7	Chassis Assembly		57
	8	Base Assembly		65
	9	Power Supply PP-978/FG		71
	10	Table Teletypewriter FN-59/FG		72

SECTION I

INTRODUCTION

1. Scope

a. This manual lists the quantities of repair parts for direct and general support and depot maintenance and is a basis for requisitioning authorized parts. It is also a guide for depot maintenance in establishing initial levels of spare parts. This list is arranged in groups by alphanumerical sequence of electrical items followed by numerical sequence of manufacturer's part number.

b. Columns are as follows:

(1) *Source, maintenance, and recoverability code.* Source, maintenance, and recoverability codes indicate the technical service responsible for supply, the maintenance category at which an item is stocked, categories at which an item is installed or repaired, and whether an item is repairable or salvageable. The source code column is divided into four parts.

(a) Column A. This column indicates the materiel code and designates the area of responsibility for supply. AR 310-1 defines the basic numbers used to

*This manual supersedes TM 11-5815-200-35P/2, 30 September 1963.

identify the materiel code. If the part is Signal materiel responsibility, the column is left blank.

(b) *Column B.* This column indicates the point within the maintenance system where the part is available. "P1" indicates that the repair part is a low mortality part; procured by technical services, stocked only in and supplied from technical service *key* depots, and authorized for installation at indicated maintenance categories.

(c) *Column C.* This column indicates the lowest maintenance category authorized to install the part.

"O" — Organizational maintenance (operator and organizational).
"F" — Direct support.
"H" — General support.

(d) *Column D.* Not used.

(2) *Federal stock number.* This column lists the 11-digit Federal stock number.

(3) *Designation by model.* The dagger (†) indicates the model in which the part is used.

(4) *Description.* Nomenclature or the standard item name and brief identifying data for each item are listed in this column. When requisitioning, enter the nomenclature and description.

(5) *Unit of issue.* The unit of issue is each unless otherwise indicated and is the supply term by which the individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

(6) *Expendability.* Nonexpendable items are indicated by NX. Expendable items are not annotated.

(7) *Quantity incorporated in unit.* This column lists the quantity of each part found in a given assembly, component, or equipment.

(8) *Field (third echelon or direct support).* This column indicates quantities of repair parts authorized for initial stockage for use in the direct support maintenance and in supply support to organization. The quantities are based on 100 equipments to be maintained for a 15-day period.

(9) *Field (fourth echelon or general support* The numbers in this column indicate quantities of repair parts authorized for initial stockage for use in general support maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

(10) *Depot (fifth echelon).* The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower categories. The entries are based on the quantity required for rebuild of 100 equipments.

(11) *Illustration.* The "Item No." column lists the reference symbols used for identification of the items in the illustration or text of the manual.

2. Parts for Maintenance

When this equipment is used by signal service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including general support are authorized for stockage by the organization operating this equipment

3. Additional Repair Parts Authorization

An asterisk (*) in the column titled "15 Day Maintenance Allowance per 100 Equipments" indicates that an item is not authorized for stockage but if required, may be requisitioned for immediate use only.

4. Requisitioning Information

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equip-

ments supported, the following formula will be used and carried out to two decimal places.

Specific number of equipments supported

$$\times \frac{\text{allowance factor}}{100} =$$

Number of parts authorized for initial stockage.

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.

(3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

(4) A closing parenthesis) after the allowance factor listed in the direct support column indicates that the item is combat essential and that a minimum quantity of one is authorized for initial stockage even though the computed quantity is less than 0.5.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

5. References

A basic issue items list is contained in TM 11-5815-200-10. Additional instructions concerning maintenance of this equipment are contained in:

Organizational Maintnenance Repair Parts and Special Tool Lists and Maintenance Allocation Chart:

TM 11-5815-200-20P, Teletypewriter Sets AN/FGC-20, AN/FGC-20X, AN/FGC-21, and AN/UGC-4 and AN/FGC-66, and Teleprinter TT-259/FG.

Field and Depot Maintenance Repair Parts and Special Tool Lists:

TM 11-5815-200-35P/1, Teletypewriter Set AN/FGC-20.

TM 11-5815-200-35P/3, Teletypewriter Set AN/FGC-20X and AN/UGC-4.

TM 11-5815-200-35P/4, Teletypewriter Set AN/FGC-66.

TM 11-5815-200-35P/5, Teleprinter TT-259/FG.

6. Reporting of Equipment Manual Improvements

The direct reporting by the individual user of errors, omissions, and recommendations for improving this equipment manual is authorized and encouraged. DA Form 2028 will be used for reporting these improvements. This form may be completed using pencil, pen, or typewriter. DA Form 2028 will be completed in triplicate and forwarded by the individual using the manual. The original and one copy will be forwarded direct to: Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-MR-MOC, Fort Monmouth, New Jersey 07703. One information copy will be furnished to the individual's immediate supervisor (officer, noncommissioned officer, supervisor, etc).

SECTION II. FUNCTIONAL PARTS LIST

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL					DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D														FIGURE NO.	ITEM NO.
				5815-392-7743						TELETYPEWRITER SET AN/FGC-20X: Fixed station; Std Communications Keyboard; English characters; 72 characters per line, friction or sprocket feed; Series governed motor, AC, 110/220v, 50/60 cyc, 368 or 600 opm operating speed, 7.42 unit code		NX						
				5815-557-5970						TELETYPEWRITER SET AN/UGC-4: Fixed station or portable; std communication keyboard; English characters; 72 character per line; friction feed; Serias goverened motor 7.42 Unit code; AC-DC 110v 50/60 cy, 368 or 600 opm, operating speed (NOTE: SAME AS TELETYPEWRITER SET AN/FGC-20X EXPECT LESS TABLE FN-59/FG:)		NX						
										TELETYPEWRITERS TT-98/FG, TT-98A/FG, TT-98B/FG, AND TT-98C/FG								
										NOTE: Model Column 1 refers to TT-98/FG; Column 2 refers to TT-98A/FG Column 3 refers to TT-98B/FG Column 4 refers to TT-98C/FG								
										GROUP 1 COVER AND COPYHOLDER								
5	P1	O		6240-892-6102	†	†	†	†		LAMP, INCANDESCENT: GE PN 10C7/5DC			2	2.3	0.9	15		I1,I2
	P1	F		5815-322-5591	†	†	†	†		CONTACT, ELECTRICAL: Sig dwg SC-B-70198			2	1.4	1.0	20		P6
5	P1	F		6250-228-0418	†	†	†	†		LAMPHOLDER: Dialco type No. 12-06			2	1.0	0.7	20		XD1,XD2
	P1	F		5305-521-8637	†	†	†	†		SCREW, CAP, SOCKET HEAD: MIL MS16998-9 (Authorized allowances based on a total of 17)			3	4.9	2.2	170		10001
9	P1	F		5305-637-5916	†	†	†	†		SCREW, MACHINE: Kleinschmidt part No. 10176			4	1.4	1.0	40		10176

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5305-298-7831	†	†	†	†			SCREW MACHINE: Kleinschmidt part #10301 (Authorized allowances based on a total of 18)			4	4.9	2.2	180		10301
	P1	F		5305-208-7907	†	†	†	†			SCREW, MACHINE: Kleinschmidt part 10308 (Authorized allowances based on a total of 8)			1	2.7	1.1	80		10308
	P1	F		5305-297-7798	†	†	†	†			SCREW, MACHINE: Kleinschmidt part No. 10375			6	2.3	0.9	60		10375
9	P1	F		5305-281-1060	†	†	†	†			SCREW, MACHINE: Kleinschmidt part No. 10376			4	1.4	1.0	40		10376
	P1	F		5305-579-5443	†	†	†	†			SCREW, MACHINE: Kleinschmidt part/dwg 10378			2	1.0	0.7	20		10378
	P1	F		5305-207-5582	†	†	†	†			SCREW, MACHINE: Kleinschmidt part No. 10393 (Authorized allowances based on a total of 16)			4	4.6	2.0	160		10393
	P1	F		5310-543-2739	†	†	†	†			WASHER, LOCK: MIL type MS-35333-72 (Authorized allowances based on a total of 41)			8	8.7	4.1	380		10404
	P1	F		5310-209-3868	†	†	†	†			WASHER, LOCK: Shakeproof part No. 1706-01			6	2.3	0.9	60		10412
9	P1	F		5310-515-7997	†	†	†	†			WASHER, LOCK: MIL type MS-35339-41 (Authorized allowances based on a total of 91)			6	18.5	9.6	910		10429
	P1	F		5310-013-1116	†	†	†	†			WASHER, LOCK: MIL type MS-35339-59 (Authorized allowances based on a total of 6)			2	2.3	0.9	60		10432
	P1	F		5310-209-3860	†	†	†	†			WASHER, LOCK: Kleinschmidt part No. 10434 (Authorized allowances based on a total of 6)			4	2.3	0.9	60		10434
	P1	F		5310-429-2274	†	†	†	†			WASHER, FLAT: Kleinschmidt part 10463			6	1.0	0.7	60		10463
	P1	F		5310-551-7541	†	†	†	†			NUT, SELF-LOCKING, HEXAGONAL: ESNA part F22-NTM-60 (Authorized allowances based on a total of 26)			1	(9.8)	4.8	260		10500

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5310-550-1154	†	†	†	†			NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10504 (Authorized allowances based on a total of 7)			4	2.3	0.9	70		10504
	P1	F		5310-596-8272	†	†	†	†			NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10511 (Authorized allowances based on a total of 9)			1	2.7	1.1	90		10511
	P1	F		5310-514-8471	†	†	†	†			NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10515			4	1.4	1.0	40		10515
	P1	F		5310-221-4916	†	†	†	†			NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10517 (Authorized allowances based on a total of 10)			6	3.1	1.3	100		10517
	P1	F		5310-521-8558	†	†	†	†			NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10520 (Authorized allowances based on a total of 10)			4	3.1	1.3	100		10520
	P1	F		5310-584-7961	†	†	†	†			NUT, SELF-LOCKING, HEXAGONAL: ESNA part No. F22NM-50			2	1.4	1.0	20		10523
	P1	F		5340-256-2867	†	†	†	†			RING, RETAINING: Waldes Kohinoor PN 5133-15-PP-RP (Authorized allowances based on a total of 13)			2	5.6	2.5	130		10960
	P1	F		5340-816-4239	†	†	†	†			RING, RETAINING: Waldes Kohinoor PN #5133-12-PP-RP (Authorized allowances based on a total of 8)			2	3.9	1.6	80		10969
	P1	F		5340-616-4545	†	†	†	†			STUD, FRICTION CATCH: Tinnerman Prod part P-101-447-495			2	0.5	0.3	4		10984
	P1	F		5815-547-7871	†	†	†	†			CATCH, FASTENER: Tinnerman Prod part No. C-4883-012-1			2	0.5	0.3	4		10985
	P1	F		5940-256-9947	†	†	†	†			TERMINAL LUG: Aircraft Marine Products Part #31890 (Authorized allowances based on a total of 8)			4	2.7	1.1	80		20707
	P1	F		5940-050-6212	†	†	†	†			TERMINAL LUG: Thomas & Betts part C-33 (Authorized allowances based on a total of 3)			2	1.4	1.0	30		20708
	P1	F		5970-617-5316	†	†	†	†			INSULATOR, BUSHING: Sig dwg No. SC-B-70200			2	0.5	0.3	10		51106

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5330-049-7872	† † † †	WASHER, NON-METALLIC: Sig dwg No. SC-B-70488			2	1.4	1.0	20		51481
P1 F	5315-523-5956	† † † †	PIN, GROOVED, HEADLESS: Sig dwg No. SM-B-148385			1	0.3	0.2	2		52068
P1 F	5315-392-7757	† † † †	PIN, GROVED, HEADLESS: Sig dwg SM-B-148421			1	0.3	0.2	2		52258
P1 F	5815-392-7792	† † † †	SPRING, HELICAL, TORSION: Sig dwg SM-B-148450			1	0.7	0.4	5		52551
P1 F	5815-264-5429	† † † †	WINDOW, OBSERVATION: Sig dwg SM-B-148515			1	0.5	0.3	4		52896
P1 F	5305-567-2033	† † † †	SCREW, SHOULDER: Sig dwg SM-B-148584			2	1.0	0.7	20		52987
P1 F	5310-558-3153	† † † †	WASHER, FLAT: Sig dwg SM-B-148585 (Authorized allowances based on a total of 3)			2	0.7	0.4	30		52988
P1 F	5815-521-1393	† † † †	GUIDE, LINE: Sig dwg SM-B-148649			1	0.3	0.2	5		53191
P1 F	5815-855-9307	† † † †	PIN, STRAIGHT HEADED: Sig dwg SM-B-148705			1	0.3	0.2	2		53426
P1 F	5815-663-3322	† † † †	SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-6			2	1.0	0.7	10		53558
P1 F	5815-521-7181	† † † †	PLATE, ADJUSTING: Sig dwg SM-B-157340			2	0.5	0.3	4		54884
P1 F	5815-664-2151	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SM-B-186994			1	0.7	0.4	10		54948
P1 F	5815-322-5587	† † † †	BUTTON, PUSH: Sig dwg SM-B-187821			1	0.3	0.2	2		54992A
P1 F	5815-322-5588	† † † †	BUTTON, PUSH: Sig dwg SM-B-187014			1	0.3	0.2	2		54995A
P1 F	5815-560-5753	† † † †	SPRING, HELICAL, TORSION: Sig dwg No. SM-B-187017			2	1.0	0.7	10		54996

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						AN/FGC-20X & AN/UGC-4 (continued)								
						GROUP 2 MOTOR AND GOVERNOR								
						NOTE: Motors and Governor in this group are common to all models of TT-98/FG,TT-98A,B,C/FG								
						GROUP 2A GOVERNOR								
	P1	F		6110-557-3970		GOVERNOR MOTOR: Sig dwg SC-D-70500			1	(0.7)	0.4	3		51215A
	P1	F		5305-521-8637		SCREW, CAP, SOCKET HEAD: MIL type MS-35460-1			1	0.7	0.4	10		10001
	P1	F		5305-514[illegible]6805		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10055 (For mounting contact 50281A to governor base)			1	0.7	0.4	10		10055
	P1	F		5305-333-4262		SETSCREW: Kleinschmidt part No. 10203			1	0.7	0.4	10		10203
	P1	F		5305-579-5304		SETSCREW: MIL std MS51019-35			1	0.7	0.4	10		10204
	P1	F		5305-208-1862		SCREW, MACHINE: Kleinschmidt part No. 10321			2	1.0	0.7	20		10321
	P1	F		5310-261-6188		WASHER, LOCK: Shakeproof part 1706-00			1	0.7	0.4	10		10403
	P1	F		5310-543-2739		WASHER, LOCK: MIL type MS-35333-72			1	0.7	0.4	10		10404
	P1	H		5310-550-3715		WASHER, LOCK: Shakeproof part No. 1704-00			2		0.7	20		10408
	P1	F		5310-209-3868		WASHER, LOCK: Shakeproof part No. 1706-01			2	1.0	0.7	20		10[illegible]
	P1	F		5310-616-3747		WASHER, FLAT: Kleinschmidt part No. 10459			1	0.3	0.2	10		10459
	P1	F		5310-551-7541		NUT, SELF-LOCKING, HEXAGON: ESNA part F22NTM60			1	0.9	0.6	10		10500
	P1	F		5310-546-6858		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10507			1	0.7	0.4	10		10507
	P1	F		5315-243-1173		PIN, COTTER: Kleinschmidt part No. 10800			2	1.4	1.0	20		10800

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-883-9487		NUT, SELF-LOCKING, HEXAGON: Kleinschmidt part No. 10840			1	0.9	0.6	10		10840
P1 F	5310-523-2003		WASHER, FLAT: Sig dwg SC-B-69389-3			1	0.3	0.2	10		50148
P1 F	5815-351-7895		GEAR, SPUR: Sig dwg SC-B-69786			1	0.7	0.4	5		50278A
P1 F	6110-242-4631		CONTACT, ELECTRICAL: Sig dwg SC-B-69789			1	0.7	0.4	10		50281A
P1 F	5970-351-7898		INSULATOR, BUSHING: Sig dwg SC-B-69779			1	0.5	0.3	5		50293
P1 F	5305-537-7641		SCREW, ADJUSTMENT: Sig dwg SC-B-69780			1	0.5	0.3	10		50299
P1 F	5815-356-3301		LEVER: Sig dwg SC-B-69782			1	0.5	0.3	10		50301
P1 F	5815-351-7900		PIN, ANCHOR: Sig dwg SC-B-69783			1	0.5	0.3	5		50302
P1 F	5815-356-3302		DISK, STROBOSCOPE: Sig dwg SC-B-69672			1	0.3	0.2	2		50303A
P1 F	6105-660-8165		COVER: Sig dwg SC-B-69962			1	0.5	0.3	2		50311
P1 F	5815-598-4964		SPRING, HELICAL, EXTENSION: Sig Dwg SC-B-69337-7			1	0.7	0.4	10		50334
P1 F	6110-636-7940		CONTACT, ELECTRICAL: Sig dwg SC-B-69784			1	0.7	0.4	10		50338
P1 F	5977-232-5279		BRUSH,ELECTRICAL CONTACT: Sig dwg SC-D-61023-1			1	(8.0)	3.7	20		51154A
P1 F	5977-521-8272		BRUSH, ELECTRICAL, CONTACT: To be used w/1/23 hp motor; Kleinschmidt part 51543A			2	(14.2)	7.0	40		51543
P1 F	5815-597-8320		SPRING, HELICAL, COMPRESSION: Sig dwg SC-B-70501			1	0.7	0.4	5		51855
P1 F	5815-521-1401		WORM, GOVERNOR ADJUSTMENT: Sig dwg SM-B-171471			1	0.7	0.4	5		56555A
P1 F	5815-826-1611		WASHER, FLAT: Kleinschmidt part 61413			1	0.3	0.2	10		61413
P1 F	5977-059-8680		BRUSH, ELECTRICAL CONTACT: To be used w/1/20 hp motor Kleinschmidt part 63649A			2	(14.2)	7.0	40		63649A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
			GROUP 2B MOTOR, UNIVERSAL 1/23 H.P.HOWARD								
P1 F	6105-635-0127		MOTOR, UNIVERSAL: Kleinschmidt part 61109A			1	0.7	0.4	2		B1
P1 H	5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: MIL type CP08A1KF-104K			2		0.7	20		C-16, C-17
P1 F	5310-261-6197		WASHER, LOCK: Shakeproof part 4010-14-10			1	0.7	0.4	10		10406
P1 H	3110-542-0120		BEARING, BALL, ANNULAR: Fafnir part 38KVTD			1		0.4	5		10760
P1 H	3110-156-4086		BEARING,BALL, ANNULAR: Kleinschmidt part 10765			1		0.4	5		10765
P1 H	5815-682-1511		SPRING, HELICAL, EXTENSION: Howard part SPR71			2		0.7	20		11033
P1 F	5940-231-4430		TERMINAL, LUG: Kleinschmidt part 20706			4	1.4	1.0	40		20706
P1 F	5940-050-6212		TERMINAL, LUG: Thomas & Butts part C-33			1	0.7	0.4	10		20708
P1 H	5940-553-2719		TERMINAL, LUG: AMP Part 31145			1		0.4	10		20899
P1 F	5815-514-7484		SCREW, MACHINE: Sig dwg SC-B-69671			1	0.7	0.4	10		50207
P1 F	5315-547-9203		PIN,STRAIGHT, HEADLESS: Sig dwg SC-B-69682			1	0.3	0.2	2		50359
P1 F	5330-521-0612		FELT, MECHANICAL, PREFORMED: Sig dwg SC-B-69683			4	3.9	1.6	40		50949
P1 H	6105-705-2652		RETAINER, BEARING: Howard part ELP-27			1		0.4	5		60491
P1 H	6105-726-8682		ARMATURE, MOTOR: Howard Part 5-400			1		0.2	2		60492A
P1 H	5310-656-0160		SHIM: Howard part WAS-300			2		0.3	20		60493
P1 H	5305-656-0106		SCREW, MACHINE: Kleinschmidt part 60494			8		2.0	80		60494
P1 F	5977-688-4398		CAP, ELECTRICAL: Kleinschmidt part 60495			2	1.4	1.0	20		60495

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5977-686-4263		CAP, ELECTRICAL: Howard part BHC-127			2	1.4	1.0	20		60496
P1 H	6105-705-2650		WINDING, MOTOR FIELD: Kleinschmidt part 60499			1		0.2	2		60499
P1 H	6105-705-2651		RETAINER, BEARING: Howard Part ELP-4			1		0.4	5		60500
P1 H	5310-656-0100		WASHER, SPRING, TENSION: Kleinschmidt Part 60501			2		0.3	20		60501
P1 F	5977-686-5195		BRUSH, ELECTRICAL CONTACT: Howard Part 2-126-7			2	(26.0)	13.5	40		60503
P1 H	5340-682-2171		SHIM: Howard Part WAS-57-1			2		0.3	20		60506
			GROUP 2C MOTOR, UNIVERSAL 1/23 HP BODINE								
P1 F	6105-635-0127		MOTOR, UNIVERSAL: series type, 1/23 H.P. BODINE Part NSEG-12			1	0.7	0.4	2		B1
P1 H	5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: MIL type CP08A1KF-104K			2		0.7	20		C16,C17
P1 F	5935-280-2829		CONNECTOR, PLUG, ELECTRICAL: MIL C-5015B, type AN-3106A-14S-2P			1	0.7	0.4	10		P-3
P1 F	5305-333-4262		SETSCREW: MIL type MS-51019-34			2	1.0	0.7	20		10203
P1 F	5310-209-3868		WASHER, LOCK: Shakeproof part #1706-01			2	1.0	0.7	20		10412
P1 H	5315-243-1173		PIN, COTTER: Kleinschmidt part No. 10800			2		1.0	20		10800
P1 F	5330-531-3296		FELT, MECHANICAL, PREFORMED: Kleinschmidt part No. 20739			1	1.4	1.0	10		20739
P1 F	5310-547-7907		WASHER, FINISHING: BODINE Part #N-2364			1	0.3	0.2	10		20740
P1 F	6105-234-7503		CAP, ELECTRICAL: Kleinschmidt part No. 20747			2	1.4	1.0	20		20747
P1 F	5970-351-7898		INSULATOR, BUSHING: Sig dwg SC-B-69779			1	0.5	0.3	10		50293
P1 F	5315-547-9203		PIN, STRAIGHT, HEADLESS: Sig dwg SC-B-69682			1	0.3	0.2	2		50359

Army-Ft Monmouth,NJ-MON 47 5-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		6125-521-0612		FELT, MECHANICAL, PREFORMED: Sig dwg SC-B-69683			2	2.3	0.9	20		50949
	P1	F		5815-356-3471		RETAINER: Sig dwg SC-B-69686			1	0.7	0.4	2		51060
	P1	F		5977-351-8002		CAP, ELECTRICAL: Sig dwg SC-B-69684			2	1.4	1.0	20		51155
	P1	H		6105-356-1809		ARMATURE, MOTOR: Sig dwg SC-B-69687			1		0.2	2		51187
	P1	H		6105-356-1798		WINDING, MOTOR FIELD: Sig dwg SC-C-69688			1		0.2	2		51188A
	P1	F		5977-543-0560		BRUSH, ELECTRICAL CONTACT: Kleinschmidt part No. 56834A			2	(26.0)	13.5	40		56834A
						GROUP 2D MOTOR, UNIVERSAL 1/20 H.P.HOWARD								
	P1	F		6105-059-9166		MOTOR, UNIVERSAL: Series type, 1/20 H.P. Kleinschmidt part 65309A			1	(0.7)	0.4	2		B1
	P1	H		5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: MIL type CP04A1KF104L			2		0.7	20		C16,C17
	P1	F		5310-282-9584		WASHER, LOCK: Kleinschmidt part 10405			3	1.3	0.9	30		10405
	P1	F		5310-261-6197		WASHER, LOCK: Shakeproof part 4010-14-10			1	0.7	0.4	10		10406
9	P1	H		3110-542-0120		BEARING, BALL, ANNULAR: FAFNIR PART 38KVTD			1		0.4	5		10760
	P1	H		3110-156-4086		BEARING, BALL, ANNULAR: Kleinschmidt part 10765			1		0.4	5		10765
	P1	F		5940-231-4430		TERMINAL, LUG: AMP Part 7-32563			4	1.4	1.0	40		20706
	P1	F		5940-050-6212		TERMINAL, LUG: Thomas & Betts part C-33			1	0.7	0.4	10		20708
	P1	F		5325-174-5331		GROMMET, RUBBER: Atlantic India Rubber Co part 2538			1	0.7	0.4	5		20726
	P1	F		5815-514-7484		SCREW, MACHINE: Sig dwg SC-B-69671			1	0.7	0.4	10		50207
	P1	F		5815-203-1678		GEAR, WORM: Sig dwg SC-B-69681			1	0.7	0.4	5		50350

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL					DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D														FIGURE NO.	ITEM NO.
										AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5315-547-9203						PIN, STRAIGHT, HEADLESS: Sig dwg SC-B-69682			1	0.3	0.2	2		50359
	P1	F		5330-521-0612						FELT, MECHANICAL, PREFORMED: Sig dwg SC-B-69683			4	3.9	1.6	40		50949
	P1	H		6105-705-2652						RETAINER, BEARING: Howard part ELP-27			1		0.4	5		60491
	P1	H		5310-656-0160						SHIM: Howard part #WAS-300			2		0.3	20		60493
	P1	H		5305-656-0106						SCREW, MACHINE: Kleinschmidt part 60494			8		2.0	80		60494
	P1	F		5977-688-4398						CAP, ELECTRICAL: Kleinschmidt part 60495			2	1.4	1.0	20		60495
	P1	F		5977-686-4263						CAP, ELECTRICAL: Howard Part BHC-127			2	1.4	1.0	20		60496
	P1	H		6105-705-2651						RETAINER, BEARING: Howard part ELP-4			1		0.4	5		60500
	P1	H		5310-656-0100						WASHER, SPRING TENSION: Kleinschmidt part 60501			2		0.3	20		60501
	P1	F		5977-686-5195						BRUSH, ELECTRICAL CONTACT: Howard part 2-126-7			2	(26.0)	13.5	40		60503
	P1	H		5340-682-2171						SHIM: Howard part #WAS-57-1			2		0.3	20		60506
										GROUP 3 KEYBOARD ASSEMBLY								
	P1	F		5815-356-3515	†	†	†	†		CONTACT ASSEMBLY, ELECTRICAL: Sig dwg SC-B-70067			1	(0.9)	0.6	3		E4
	P1	F		5935-296-8675	†	†	†	†		CONNECTOR, PLUG ELECTRICAL: AMphenol part 126-195			1	(0.7)	0.4	10		P5
	P1	F		5815-586-7763	†	†				FILTER, RADIO INTERFERENCE: Sig dwg SM-C-314880			1	(0.7)	0.4	5		Z2
	P1	F		5915-501-0546			†	†		FILTER, RADIO INTERFERENCE: Sig dwg SM-C-157655			1	(0.7)	0.4	5		Z2
	P1	F		5305-521-8637	†	†	†	†		SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 1)			4					10001
	P1	F		5305-531-9034	†	†	†	†		SCREW, CAP, SOCKET HEAD: Kleinschmidt part 10003 (Authorized allowances based on a total of 32)			3	7.6	3.6	320		10003

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5305-274-0401	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-35461-1 (Authorized allowances based on a total of 71)			3	14.2	7.0	710		10008-01
	P1	F		5305-297-7966	†	†	†	†			SCREW, CAP SOCKET HEAD: MIL type MS-35459-15 (Authorized allowances based on a total of 5)			2	1.9	1.3	50		10009
	P1	F		5305-570-5987	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-16997-34 (Authorized allowances based on a total of 5)			1	1.9	1.3	50		10011
	P1	F		5305-533-5362	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-16998-26 (Authorized allowances based on a total of 6)			4	2.3	0.9	60		10015
	P1	F		5305-573-3925	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10017 (Authorized allowances based on a total of 3)			2	1.3	0.9	30		10017
	P1	F		5305-593-6651	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-16998-27 (Authorized allowances based on a total of 6)			2	2.3	0.9	60		10024
	P1	F		5305-269-6417	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-16998-44			2	1.0	0.7	20		10027
	P1	F		5305-206-2224	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-16998-13			1	0.7	0.4	10		10034
	P1	F		5305-208-3610	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part 10035			1	0.7	0.4	10		10035
	P1	F		5305-206-2471	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part 10041			1	0.7	0.4	10		10041
	P1	F		5305-514-6805	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10055			2	1.0	0.7	20		10055
	P1	F		5305-207-8967	†	†	†	†			SETSCREW: MIL type MS-51020-48 (Authorized allowances based on a total of 32)			2	(7.6)	3.6	320		10209
	P1	F		5305-297-7905	†	†	†	†			SETSCREW: MIL type MS-51020-49			3	(1.3)	0.9	30		10210
	P1	F		5305-545-8458	†	†	†	†			SETSCREW: Kleinschmidt part #10233			1	(0.7)	0.4	10		10233
	P1	F		5305-298-7831	†	†	†	†			SCREW, MACHINE: (For authorized allowances see Group 1)			6					10301

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
Pl F	5305-521-8638	† † † †	SCREW, MACHINE: Kleinschmidt part #10304 (Authorized allowances based on a total of 5)			3	1.9	1.3	50		10304
Pl F	5305-208-7907	† † † †	SCREW, MACHINE: (For authorized allowances see Group 1)			1					10308
Pl F	5305-206-3537	† † † †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part 10397			2	1.0	0.7	20		10397
9 Pl F	5310-543-2740	† † † †	WASHER, LOCK: MIL type MS-35333-74			2	1.0	0.7	20		10400
Pl F	5310-209-3990	† † † †	WASHER, LOCK: MIL type MS-35333-71 (Authorized allowances based on a total of 37)			14	8.7	4.1	360		10403
Pl F	5310-543-2739	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			3					10404
Pl F	5310-042-9067	† † † †	WASHER, LOCK: MIL type MS-35337-80			2	1.0	0.7	20		10409
Pl F	5310-515-7997	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			11					10429
9 Pl F	5310-209-3871	† † † †	WASHER, LOCK: MIL type MS-35339-61 (Authorized allowances based on a total of 82)			6	17.0	8.7	820		10430
Pl F	5310-198-3711	† † † †	WASHER, LOCK: MIL type MS-35339-62 (Authorized allowances based on a total of 21)			10	5.6	2.5	210		10431
Pl F	5310-639-8165	† † † †	WASHER, FLAT: MIL type MS-27183-5 (Authorized allowances based on a total of 15)			2	1.9	1.3	150		10458
Pl F	5310-616-3747	† † † †	WASHER, FLAT: Kleinschmidt part #10459 (Authorized allowances based on a total of 14)			2	1.9	1.3	140		10459
Pl F	5310-637-3945	† † † †	WASHER, FLAT: Kleinschmidt part #10464 (Authorized allowances based on a total of 5)			1	0.9	0.6	50		10464
Pl F	5310-551-7541	† † † †	NUT, SELF-LOCKING HEXAGONAL: (For authorized allowances see Group 1)			2					10500

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5310-523-2035	†	†	†	†			NUT, SELF-LOCKING HEXAGON: ESNA part F22NTM-82 (Authorized allowances based on a total of 17)			2	(7.0)	3.2	170		10501
	P1	F		5310-546-6858	†	†	†	†			NUT, PLAIN, HEXAGON: Kleinschmidt part #10507 (Authorized allowances based on a total of 7)			2	2.3	0.9	70		10507
	P1	F		5310-297-8940	†	†	†	†			NUT, PLAIN HEXAGON: Kleinschmidt part 10512			1	0.7	0.4	10		10512
	P1	F		5310-208-6478	†	†	†	†			NUT, SELF-LOCKING HEXAGON: ESNA part F22NTM02			1	(0.9)	0.6	10		10525
	P1	F		5310-638-4182	†	†	†	†			NUT, PLAIN ROUND: Kleinschmidt part 10547			1	0.7	0.4	10		10547
9	P1	F		3110-155-9628	†	†	†	†			BEARING, BALL ANNULAR: Fafnir part SIKDD7-FS160 (Authorized allowances based on a total of 3)			2	(1.3)	0.9	15		10753
	P1	F		5340-282-0813	†	†	†	†			RING, RETAINING: Waldes Kohinoor PN 5133-18 PP-RP (Authorized allowances based on a total of 25)			3	(9.0)	4.4	125		10949
	P1	F		5340-816-4239	†	†	†	†			RING RETAINER: (For authorized allowances see Group 1)			2					10969
	P1	F		5305-286-0003	†	†	†	†			SCREW, CAP, SOCKETHEAD: MIL type MS-35461-2			1	0.7	0.4	10		11503
	P1	F		5340-399-7867	†	†	†	†			CLAMP, LOOP: Tinnerman part C3049A-3-108 (Authorized allowances based on a total of 3)			2	1.3	0.9	30		20519
	P1	F		5940-504-5886	†	†	†	†			TERMINAL LUG: Amphenol 34122			1	0.7	0.4	10		20709
	P1	F		5940-271-7322	†	†	†	†			TERMINAL LUG: Amphenol 321021 (Authorized allowances based on a total of 5)			3	1.9	1.3	50		20838
	P1	F		5940-204-7911	†	†	†	†			TERMINAL LUG: Patten McGuyer part 3027			1	0.7	0.4	10		20840
	P1	F		5815-330-9941	†	†	†	†			BEARING, SET: Sig dwg SC-B-69494 (Authorized allowances based on a total of 2)			1	1.0	0.7	10		50019A
	P1	F		5310-521-8475	†	†	†	†			WASHER, FLAT: Sig dwg SC-B-69389-4 (Authorized allowances based on a total of 17)			13	1.9	1.3	170		50147

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-523-2143	† † † †	WASHER, FLAT: Sig dwg SC-B-69389-2 (Authorized allowances based on a total of 5)			1	0.9	0.6	50		50414
P1 F	5815-356-3334	† † † †	FORK, CLUTCH: Sig dwg SM-B-148343 (Authorized allowances based on a total of 2)			1	(1.0)	0.7	10		50484A
P1 F	5815-356-3386	† † † †	SCREW, ADJUSTING: Sig dwg SC-C-69895			1	(0.7)	0.4	10		50658
P1 F	5815-598-4965	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SM-B-186883 (Authorized allowances based on a total of 12)			6	(3.5)	1.5	120		50902
P1 F	5815-598-4945	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-15 (Authorized allowances based on a total of 32)			31	(7.6)	3.6	320		50941
P1 F	5815-598-4948	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SC-B-69337-9			1	(0.7)	0.4	10		50944
P1 F	5815-224-6463	† † † †	BAR, SELECTRO, TELETYPEWRITER: Sig dwg SC-B-69980			1	(0.5)	0.3	5		51134A
P1 F	5815-598-4988	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-19			1	(0.7)	0.4	10		51136
P1 F	5815-356-3492	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-24 (Authorized allowances based on a total of 2)			1	(1.0)	0.7	20		51544
P1 F	5815-356-3493	† † † †	CAMSHAFT: Sig dwg SM-C-148833			1	0.3	0.2	5		51545A
P1 F	5815-356-3494	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SC-B-69337-14			1	(0.7)	0.4	10		51548
P1 F	5815-356-3495	† † † †	LEVER: Sig dwg SC-B-70093			1	(0.5)	0.3	10		51549A
P1 F	5310-205-8930	† † † †	WASHER, FLAT: Sig dwg SC-B-69389-8			1	0.3	0.2	10		51552
P1 F	5815-356-3497	† † † †	WASHER, FLAT: Sig dwg SC-B-69389-9			1	0.3	0.2	10		51555
P1 F	5815-356-3499	† † † †	BEARING, ECCENTRIC: Sig dwg SC-B-69887			1	0.7	0.4	5		51557
P1 F	5815-356-3500	† † † †	GUIDE, LEVER: Sig dwg SC-B-70650			1	0.5	0.3	10		51558
P1 F	5815-356-3503	† † † †	STUD, THREADED: Kleinschmidt part 51561			1	0.7	0.4	10		51561

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	Pl	F		5815-356-3504	†	†	†	†			PIN, STRAIGHT HEADED: Sig dwg SC-B-69879			1	0.3	0.2	2		51562
	Pl	F		5815-356-3505	†	†	†	†			STUD, THREADED: Kleinschmidt part 51563			1	0.7	0.4			51563
	Pl	F		5815-356-3506	†	†	†	†			PIN STRAIGHT HEADLESS: Sig dwg SC-B-70447			1	0.3	0.2	2		51564
	Pl	F		5815-356-3507	†	†	†	†			LEVER: Sig dwg SC-B-69987			1	(0.5)	0.3	10		51567
	Pl	F		5305-399-7868	†	†	†	†			SCREW, MACHINE: Sig dwg SC-B-69880			1	0.7	0.4	10		51568
	Pl	F		5815-356-3508	†	†	†	†			LATCH, LEVER: Sig dwg SC-B-69984			1	0.5	0.3	10		51569
	Pl	F		5815-356-3510	†	†	†	†			LEVER, SET: Sig dwg SC-B-69656			1	(0.5)	0.3	10		51573A
	Pl	F		5815-356-3511	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-B-69337-15			1	(0.7)	0.4	10		51574
	Pl	F		5815-356-3512	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-25			1	(0.7)	0.4	10		51575
	Pl	F		5815-356-3514	†	†	†	†			PIVOT: Sig dwg SC-B-69985			1	0.3	0.2	2		51581
	Pl	F		5815-384-0887	†	†	†	†			CONTACT, ELECTRICAL: Kleinschmidt part 51588A			2	(1.4)	1.0	20		51588A
	Pl	F		5815-356-3518	†	†	†	†			TERMINAL, LUG: Sig dwg SC-B-69846			2	1.0	0.7	20		51597
	Pl	F		5815-356-3519	†	†	†	†			LEVER SET: Sig dwg SC-B-70112 (Authorized allowances based on a total of 2)			1	(0.8)	0.5	20		51598A
	Pl	F		5815-356-3520	†	†	†	†			SPACER, SLEEVE: Sig dwg SC-B-70448			1	0.3	0.2	3		51599
	Pl	F		5995-622-4046	†	†	†	†			LEAD, ELECTRICAL: Sig dwg SC-B-70061			1	(0.7)	0.4	2		51610
	Pl	F		5815-608-8706	†	†	†	†			CONTACT, ELECTRICAL: Sig dwg SC-B-69876			1	(0.7)	0.4	10		51611A
	Pl	F		5815-392-7880	†	†	†	†			LEVER: Sig dwg SM-B-148531			1	(0.5)	0.3	10		52914
	Pl	F		5815-340-3702	†	†	†	†			BAR, SELECTOR, TELETYPEWRITER: Sig Dwg SC-C-69896			1	(0.5)	0.3	5		53295A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-537-7673	† † † †	BAR, SELECTOR, TELETYPEWRITER: Sig Dwg SC-C-69897			1	(0.5)	0.3	5		53296A
P1 F	5815-340-3703	† † † †	BAR, SELECTOR, TELETYPEWRITER: Sig Dwg SC-C-69898			1	(0.5)	0.3	5		53297A
P1 F	5815-537-7674	† † † †	BAR, SELECTOR, TELETYPEWRITER: Sig Dwg SC-C-69899			1	(0.5)	0.3	5		53298A
P1 F	5815-537-7675	† † † †	BAR, SELECTOR, TELETYPEWRITER: Sig Dwg SC-C-69900			1	(0.5)	0.3	5		53299A
P1 F	5310-595-6450	† † † †	WASHER, FLAT: Sig dwg SM-B-186877			1	0.3	0.2	10		53526
P1 F	5815-600-3003	† † † †	BAR, SPACE: Sig dwg SM-B-186899			1	0.5	0.3	5		53944A
P1 F	5815-524-0139	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SM-B-171538			2	(1.0)	0.7	20		53974
P1 F	5815-547-7875	† † † †	KEY, TELETYPEWRITER: w/keytop (Q1); Sig Dwg SM-B-186901-GRI			1	(0.5)	0.3	5		54033A
P1 F	5815-547-7876	† † † †	KEY, TELETYPEWRITER: w/keytop (W2); Sig Dwg SM-B-189901GRII			1	(0.5)	0.3	5		54034A
P1 F	5815-547-7877	† † † †	KEY, TELETYPEWRITER: w/keytop (E3); Sig Dwg SM-B-186901GRIII			1	(0.5)	0.3	5		54035A
P1 F	5815-547-7878	† † † †	KEY, TELETYPEWRITER: w/keytop (R4); Sig Dwg SM-B-186901GRIV			1	(0.5)	0.3	5		54036A
P1 F	5815-547-7879	† † † †	KEY, TELETYPEWRITER: w/keytop (T5); Sig Dwg SM-B-186901GRV			1	(0.5)	0.3	5		54037A
P1 F	5815-547-7880	† † † †	KEY, TELETYPEWRITER: w/keytop (Y6); Sig Dwg SM-B-186901GRVI			1	(0.5)	0.3	5		54038A
P1 F	5815-547-7881	† † † †	KEY, TELETYPEWRITER: w/keytop (U7); Sig Dwg SM-B-186901GRVII			1	(0.5)	0.3	5		54039A
P1 F	5815-547-7882	† † † †	KEY, TELETYPEWRITER: w/keytop (I8); Sig Dwg SM-B-186901 GRVIII			1	(0.5)	0.3	5		54040A
P1 F	5815-547-7870	† † † †	KEY, TELETYPEWRITER: w/keytop (O9); Sig Dwg SM-B-186901 GRIX			1	(0.5)	0.3	5		54041A
P1 F	5815-547-7869	† † † †	KEY, TELETYPEWRITER: w/keytop (P0); Sig Dwg SM-B-186901 GRX			1	(0.5)	0.3	5		54042A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-547-7868	† † † †	KEY, TELETYPEWRITER: w/keytop (REPEAT); Sig Dwg SM-B-186902			1	(0.5)	0.3	5		54043A
P1 F	5815-547-7883	† † † †	KEY, TELETYPEWRITER: w/keytop (A-); Sig Dwg SM-B-186903 GRI			1	(0.5)	0.3	5		54044A
P1 F	5815-547-7884	† † † †	KEY, TELETYPEWRITER: w/keytop (S BELL); Sig Dwg SM-B-186903 GRII			1	(0.5)	0.3	5		54045A
P1 F	5815-547-7885	† † † †	KEY, TELETYPEWRITER: w/keytop (D$); Sig Dwg SM-B-186903 GRIII			1	(0.5)	0.3	5		54046A
P1 F	5815-547-7886	† † † †	KEY, TELETYPEWRITER: w/keytop (F!); Sig Dwg SM-B-18690 GR IV			1	(0.5)	0.3	5		54047A
P1 F	5815-547-7887	† † † †	KEY, TELETYPEWRITER: w/keytop (G&); Sig Dwg SM-B-186903GRV			1	(0.5)	0.3	5		54048A
P1 F	5815-547-7888	† † † †	KEY, TELETYPEWRITER: w/keytop (HSTOP); Sig Dwg SM-B-186903GRVI			1	(0.5)	0.3	5		54049A
P1 F	5815-547-7889	† † † †	KEY, TELETYPEWRITER: w/keytop (J,); Sig Dwg SM-B-186903GRVII			1	(0.5)	0.3	5		54050A
P1 F	5815-547-7890	† † † †	KEY, TELETYPEWRITER: w/keytop (KC); Sig Dwg SM-B-186903GRVIII			1	(0.5)	0.3	5		54051A
P1 F	5815-547-7891	† † † †	KEY, TELETYPEWRITER: w/keytop (L)); Sig Dwg SM-B-186903GRIX			1	(0.5)	0.3	5		54052A
P1 F	5815-547-7892	† † † †	KEY, TELETYPEWRITER: w/keytop (CAR RET) Sig Dwg SM-B-186903GRX			1	(0.5)	0.3	5		54053A
P1 F	5815-547-7893	† † † †	KEY, TELETYPEWRITER: w/keytop (FIG'); Sig Dwg SM-B-186904GRI			1	(0.5)	0.3	5		54054A
P1 F	5815-547-7894	† † † †	KEY, TELETYPEWRITER: w/keytop (Z''); Sig Dwg SM-B-186904GRII			1	(0.5)	0.3	5		54055A
P1 F	5815-547-7895	† † † †	KEY, TELETYPEWRITER: w/keytop (X1); Sig Dwg SM-B-186904GRIII			1	(0.5)	0.3	5		54056A
P1 F	5815-547-7896	† † † †	KEY, TELETYPEWRITER: w/keytop (C:); Sig Dwg SM-B-186904GRIV			1	(0.5)	0.3	5		54057A
P1 F	5815-547-7897	† † † †	KEY, TELETYPEWRITER: w/keytop (V;); Sig Dwg SM-B-186904GRV			1	(0.5)	0.3	5		54058A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-547-7898	† † † †	KEY, TELETYPEWRITER: w/keytop (B?); Sig Dwg SM-B-186904GRVI			1	(0.5)	0.3	5		54059A
P1 F	5815-601-9778	† † † †	KEY, TELETYPEWRITER: w/keytop (N,); Sig Dwg SM-B-186904GRVII			1	(0.5)	0.3	5		54060A
P1 F	5815-547-7899	† † † †	KEY, TELETYPEWRITER: w/keytop (M.); Sig Dwg SM-B-186904GRVIII			1	(0.5)	0.3	5		54061A
P1 F	5815-547-7900	† † † †	KEY, TELETYPEWRITER: w/keytop (LTRS); Sig Dwg SM-B-186904GRIX			1	(0.5)	0.3	5		54062A
P1 F	5815-547-7901	† † † †	KEY, TELETYPEWRITER: w/keytop (LINE FEED); Sig Dwg SM-B-186904GRX			1	(0.5)	0.3	5		54063A
P1 F	5815-547-7902	† † † †	KEY, TELETYPEWRITER: w/keytop unmarked sig Dwg SM-B-186904GRXI			1	(0.5)	0.3	5		54064A
P1 F	5815-610-7808	† † † †	STUD, ECCENTRIC: Sig dwg SM-B-186937			1	0.3	0.2	2		54673
P1 F	5815-591-0874	† † † †	SHAFT: Sig dwg SM-B-187213			1	0.3	0.2	1		55862
P1 F	5815-591-0871	† † † †	SPACE, GUIDE: Sig dwg SM-B-187216			2	0.5	0.3	4		55866
P1 F	5815-322-5609	† † † †	LATCH, STOP: Sig dwg SC-B-69878			1	0.3	0.2	3		55870
P1 F	5815-322-5618	† † † †	LEVER: Sig dwg SM-B-171360			1	(0.5)	0.3	10		55916
P1 F	5340-528-5565	† † † †	SPACER: Sig dwg SM-B-187828			1	0.3	0.2	2		56252
P1 F	5307-819-5151	† † † †	STUD, SHOULDERED AND STEPPED: Sig Dwg SM-B-171432			1	0.3	0.2	2		56669
P1 F	5815-663-3350	† † † †	SPRING, HELICAL TORSION: Sig dwg SM-B-187514			1	(0.7)	0.4	5		56688
P1 F	5815-594-4143	† † † †	LEVER: Sig dwg SM-B-171484			1	(0.5)	0.3	10		59475A
P1 F	5815-594-4142	† † † †	BLOCKING, LEVER: Sig dwg SM-B-171485			1	0.5	0.3	10		59477
P1 F	5330-841-6376	† † † †	WASHER, NONMETALLIC: Kleinschmidt part #61466			1	1.4	1.0	10		61466
P1 F	5330-840-6519	† † † †	WASHER, NONMETALLIC: Kleinschmidt part 61467 (Authorized allowances based on a total of 4)			1	3.9	1.6	40		61467

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5330-841-6377	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part #61468			3	3.1	1.3	30		61468
	P1	F		5330-846-7712	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part #61469 (Authorized allowances based on a total of 4)			3	3.9	1.6	40		61469
											GROUP 4 PLATTEN ASSEMBLY								
	P1	F		5305-274-0401	†	†	†	†			SCREW, CAP SOCKETHEAD: (For authorized allowances see Group 3)			18					10008-01
	P1	F		5305-533-5362	†	†	†	†			SCREW, CAP SOCKET HEAD: (For authorized allowances see Group 3)			2					10015
	P1	F		5305-983-6651	†	†	†	†			SCREW, CAP SOCKETHEAD: (For authorized authorized allowances see Group 3)			2					10024
	P1	F		5305-333-4262	†	†	†	†			SETSCREW: MIL type MS-51019-34 (Authorized allowances based on a total of 14)			5	(3.9)	1.6	140		10203
	P1	F		5305-207-8967	†	†	†	†			SETSCREW: (For authorized allowances see Group 3)			6					10209
	P1	F		5305-297-7721	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10398			1	0.7	0.4	10		10398
	P1	F		5310-515-7997	†	†	†	†			WASHER,LOCK: (For authorized allowances see Group 1)			4					10429
	P1	F		5310-209-3871	†	†	†	†			WASHER, LOCK: (For authorized allowances see Group 3)			2					10430
	P1	F		5310-198-3711	†	†	†	†			WASHER, LOCK: (For authorized allowances see Group 3)			4					10431
	P1	F		5310-639-8165	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 3)			3					10458
	P1	F		5310-637-3945	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 3)			2					10464
	P1	F		5310-595-5385	†	†	†	†			WASHER, FLAT: Kleinschmidt part #10467 (Authorized allowances based on a total of 22)			3	2.7	1.1	220		10467

Army-Ft Monmouth,NJ-MON 473-43

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5310-596-7580	†	†	†	†			WASHER, FLAT: MIL type MS-15795-208			2	0.5	0.3	20		10481
	P1	F		5310-523-2035	†	†	†	†			NUT, SELF-LOCKING HEXAGONAL: (For authorized allowances see Group 3)			1					10501
	P1	F		5310-521-8574	†	†	†	†			NUT, PLAIN KNURLED: Kleinschmidt part #10537			2	1.0	0.7	20		10537
	P1	F		3120-661-5027	†	†	†	†			BEARING, SLEEVE: Amplex part A-304-7			1	0.3	0.2	5		10701
	P1	F		3120-662-2821	†	†	†	†			BEARING, SLEEVE: Amplex part F309-2			1	0.3	0.2	5		10703
9	P1	F		3120-528-5901	†	†	†	†			WASHER, THRUST: Amplex part T-504			1	0.3	0.2	10		10707
	P1	F		5340-282-0813	†	†	†	†			RING, RETAINING: (For authorized allowances see Group 3)			10					10949
	P1	F		5340-256-2867	†	†	†	†			RING, RETAINING: (For authorized allowances see Group 1)			1					10960
	P1	F		5340-816-4239	†	†	†	†			RING, RETAINING: (For authorized allowances see Group 1)			2					10969
	P1	F		5340-600-3176	†	†	†	†			RING, RETAINING: Waldes PN 5133-14PPRP			1	(0.9)	0.6	10		11103
	P1	F		5815-356-3263	†	†	†	†			DETENT: Sig dwg SC-B-70108			1	0.3	0.2	2		50108A
	P1	F		5815-356-3273	†	†	†	†			ROLLER, PAPER: Sig dwg SC-B-70113			1	(0.7)	0.4	2		50161A
	P1	F		5815-356-3275	†	†	†	†			PAWL: Sig dwg SC-B-70098			1	0.3	0.2	2		50165
	P1	F		5815-294-7390	†	†	†	†			COLLAR, SHAFT: Sig dwg SC-B-69522-2 (Authorized allowances based on a total of 3)			1	0.7	0.4	6		50209
	P1	F		5815-356-3286	†	†	†	†			ARM: Sig dwg SC-B-70100			1	0.3	0.2	10		50214
	P1	F		5815-243-5927	†	†	†	†			LINK, ROD CONNECTING: Sig dwg SC-B-70101			2	0.5	0.3	4		50215
	P1	F		5305-356-4126	†	†	†	†			SETSCREW: Sig dwg SC-B-70103			1	(0.7)	0.4	10		50238
	P1	F		5310-521-8729	†	†	†	†			WASHER, FLAT: Sig dwg SC-B-69322-1 (Authorized allowances based on a total of 7)			1	1.1	0.8	70		50315
	P1	F		5815-598-4963	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-22			1	(0.7)	0.4	10		50333

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5305-351-7955	† † † †	STUD: Sig dwg SC-B-70106			1	0.3	0.2	2		50762
P1 F	5340-263-3849	† † † †	RING, RETAINER: Sig dwg SC-B-69739			2	(1.4)	1.0	20		51099
P1 F	5815-392-9537	† † † †	LEVER: SIG Dwg SC-B-69551			1	(0.5)	0.3	10		51762A
P1 F	5310-205-8932	† † † †	WASHER, FLAT: Sig dwg SC-B-69322-8			4	0.8	0.5	40		51768
P1 F	5815-598-4990	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SC-C-69326-23			2	(1.0)	0.7	20		51851
P1 F	5815-597-2295	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SM-B-157010-3			1	(0.7)	0.4	10		52169
P1 F	5815-392-7840	† † † †	SHAFT HOLLOW: Sig Dwg SM-B-148471			1	0.3	0.2	1		52755A
P1 F	5310-523-2173	† † † †	NUT, PLAIN HEXAGONAL: Sig dwg SM-B-148496			1	0.7	0.4	10		52806
P1 F	5815-392-7846	† † † †	WHEEL, RATCHET: Sig dwg SM-B-148497			1	0.7	0.4	25		52807
P1 F	5815-692-6843	† † † †	STUD, THREADED: Sig dwg SM-B-148544			1	0.7	0.4	10		52931
P1 F	5815-392-7889	† † † †	LEVER: Sig dwg SM-B-148599			1	(0.5)	0.3	10		53905A
P1 F	5815-040-1487	† † † †	LEVER: Sig dwg SM-B-148627			1	(0.5)	0.3	10		53137A
P1 F	5815-597-2285	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SM-B-157010-11			1	(0.7)	0.4	10		53149
P1 F	5815-537-7672	† † † †	LEVER ASSEMBLY: Sig dwg SC-B-69576			1	(0.5)	0.3	10		53202A
P1 F	5815-322-5584	† † † †	LATCH, LEVER: Sig dwg SM-B-186996			1	0.5	0.3	10		54951
P1 F	5815-322-5585	† † † †	LEVER: Sig dwg SM-B-186999			1	(0.5)	0.3	10		54954A
P1 F	5815-338-3384	† † † †	SHAFT, PLATEN: Sig dwg SM-B-187000			1	0.3	0.2	2		54955A
P1 F	5815-663-3381	† † † †	SPRING, HELICAL COMPRESSION: Kleinschmidt part 54957			1	(0.7)	0.4	10		54957
P1 F	5815-663-3066	† † † †	CRANK, ASSEMBLY: Sig dwg SM-B-187005			1	(0.7)	0.4	5		54960A
P1 F	5815-327-5144	† † † †	ROLLER ASSEMBLY, PAPER: Kleinschmidt part 54965A			1	(0.7)	0.4	5		54965A

Army-Ft Monmouth,NJ-MON 479-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-523-8660	†	†	†	†			SPRING, HELICAL TORSION: Sig dwg SM-B-187008			2	(1.0)	0.7	10		54967
P1 F	5815-600-3026	†	†	†	†			PIN, GROOVED HEADLESS: Sig dwg SM-B-187009			1	0.3	0.2	2		54968
P1 F	5815-340-3721	†	†	†	†			ROLLER, PAPER: Sig dwg SM-B-187050			1	(0.7)	0.4	2		55079A
P1 F	5305-521-8650	†	†	†	†			SETSCREW: Sig dwg SM-B-187057			1	(0.7)	0.4	10		55139
P1 F	5815-591-0868	†	†	†	†			GUIDE, PAPER: Sig dwg SM-B-187059-1			1	0.3	0.2	5		55141A
P1 F	5815-664-2137	†	†	†	†			SPRING, HELICAL, EXTENSION: Sig dwg SM-B-186875-6			3	(1.3)	0.9	30		55143
P1 F	5815-591-0869	†	†	†				GUIDE, PAPER: Kleinschmidt part No. 55144A			1	0.3	0.2	5		55144A
P1 F	5315-543-3791	†	†	†	†			PIN, STRAIGHT HEADLESS: Sig dwg SM-B-187060			1	0.3	0.2	2		55146
P1 F	5815-652-4187	†	†	†	†			HUB ASSEMBLY: Sig dwg SM-B-187064			2	0.5	0.3	2		55155A
P1 F	5815-327-5145	†	†	†	†			PIN, STRAIGHT HEADLESS: Sig dwg SM-B-187070			2	0.5	0.3	4		55161
P1 F	5815-340-3725	†	†	†	†			SHAFT, PLATEN PRESSURE: Sig dwg SM-B-187097			1	0.3	0.2	2		55530A
P1 F	5815-594-4089	†	†	†	†			BRACKET, ASSEMBLY: Kleinschmidt part #57971A			1	0.3	0.2	2		57971A
P1 F	5815-594-4094	†	†	†	†			LINK, ROD CONNECTING: Kleinschmidt part #57979			1	0.3	0.2	2		57979
P1 F	5815-594-4096	†	†	†	†			ARM, ASSEMBLY: Kleinschmidt part #57981A			1	0.3	0.2	10		57981A
P1 F	5330-841-6381	†	†	†	†			WASHER, NON-METALLIC: Kleinschmidt part #61471			1	1.4	1.0	10		61471
P1 F	5330-841-6388	†	†	†	†			WASHER, NON-METALLIC: Kleinschmidt part #61472			1	1.4	1.0	10		61472
P1 F	5330-841-6389	†	†	†	†			WASHER, NON-METALLIC: Kleinschmidt part #61473			1	1.4	1.0	10		61473

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5330-841-7418	† † † †	WASHER, NON-METALLIC: Kleinschmidt part #61474 (Authorized allowances based on a total of 4)			1	3.9	1.6	40		61474
	P1	F		5815-863-5376	† † † †	LINK ROD, CONNECTING: Kleinschmidt part #62590			1	0.3	0.2	2		62590
	P1	F		5815-472-7282	† † † †	LINK, ROD, CONNECTING: Kleinschmidt part #62611A			1	0.3	0.2	2		62611A
						GROUP 5 CARRIAGE ASSEMBLY								
	P1	F		5305-521-8637	† † † †	SCREW, CAP SOCKETHEAD: (For authorized allowances see Group 1)			6					10001
	P1	F		5305-521-8636	† † † †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10002			2	1.0	0.7	20		10002
	P1	F		5305-531-9034	† † † †	SCREW, CAP, SOCKETHEAD: (For authorized allowances see Group 3)			8					10003
	P1	F		5305-753-4356	† † † †	SCREW, CAP SOCKETHEAD: MIL type MS-16998-10(Authorized allowances based on a total of 13)			6	3.9	1.6	130		10004
	P1	F		5305-206-2476	† † † †	SCREW, CAP SOCKETHEAD: Kleinschmidt part #10010 (Authorized allowances based on a total of 11)			2	3.1	1.3	110		10010
	P1	F		5305-297-7962	† † † †	SCREW, CAP, SOCKETHEAD: Kleinschmidt part #10025 (Authorized allowances based on a total of 8)			2	2.7	1.1	80		10025
	P1	F		5305-579-1518	† † † †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10050 (Authorized allowances based on a total of 6)			2	2.3	0.9	60		10050
	P1	F		5305-531-1200	† † † †	SCREW, CAP, SOCKETHEAD: MIL type MS-35459-20			2	1.0	0.7	20		10063
	P1	F		5305-333-4261	† † † †	SETSCREW: MIL type MS-51018-33 (Authorized allowances based on a total of 24)			14	(6.0)	2.7	240		10201
	P1	F		5305-579-5304	† † † †	SETSCREW: MIL type MS-51019-35 (Authorized allowances based on a total of 2)			1	(1.0)	0.7	20		10204

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
F1 F	5305-333-4264	† † † †	SETSCREW: MIL type MS-51020-56			2	(1.0)	0.7	20		10214
F1 F	5305-537-8249	† † † †	SCREW, MACHINE: Kleinschmidt part #10306			2	(1.0)	0.7	20		10306
P1 F	5305-333-5046	† † † †	SCREW, MACHINE: (Authorized allowances based on a total of 6)			2					10303
P1 F	5310-178-8361	† † † †	WASHER, LOCK: MIL type MS-35333-75			1	0.7	0.4	10		10401
9 P1 F	5310-013-1197	† † † †	WASHER, LOCK: MIL type MS-35337-61			2	1.0	0.7	20		10426
P1 F	5310-515-7997	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			18					10429
9 P1 F	5310-209-3871	† † † †	WASHER, LOCK: (For authorized allowances see Group 3)			6					10430
9 P1 F	5310-198-3711	† † † †	WASHER, LOCK: (For authorized allowances see Group 3)			2					10431
P1 F	5310-013-1116	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			2					10432
P1 F	5310-595-5385	† † † †	WASHER, FLAT: (For authorized allowances see Group 4)			3					10467
P1 F	5310-551-7541	† † † †	NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see Group 1)			2					10500
P1 F	5310-523-2035	† † † †	NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see Group 3)			1					10501
P1 F	5310-208-6617	† † † †	NUT, PLAIN HEXAGONAL: Kleinschmidt part #10509 (Authorized allowances based on a total of 5)			3	1.9	1.3	50		10509
9 P1 F	3110-271-0244	† † † †	BEARING, BALL ANNULAR: FAFNIR part AKP4A-FS160			5	1.9	1.3	25		10752
9 P1 F	3110-144-8858	† † † †	BEARING, BALL ANNULAR: Fafnir part 38 KDD-FS160 (Authorized allowances based on a total of 5)			2	1.9	1.3	25		10757
P1 F	7510-511-6690	† † † †	RIBBON, TELETYPEWRITER: Fed spec DDD-R-311d, type 1, class 1			1	(99.3)	85.8	500		10901

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-228-6708	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-1 Sig Dwg SC-C-69992-1			1	(0.5)	0.3	5		50022
P1 F	5815-228-6709	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-2 Sig Dwg SC-C-69992-2			1	(0.5)	0.3	5		50023
P1 F	5815-228-6701	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-3 Sig Dwg SC-C-69992-3			1	(0.5)	0.3	5		50024
P1 F	5815-228-6713	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-4 Sig Dwg SC-C-69992-4			1	(0.5)	0.3	5		50025
P1 F	5815-228-6714	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-5 Sig Dwg SC-C-69992-5			1	(0.5)	0.3	5		50026
P1 F	5815-228-6753	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-6 Sig Dwg SC-C-69992-6			1	(0.5)	0.3	5		50027
P1 F	5815-228-6751	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-7 Sig Dwg SC-C-69992-7			1	(0.5)	0.3	5		50028
P1 F	5815-228-6707	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-8 Sig Dwg SC-C-69992-8			1	(0.5)	0.3	5		50029
P1 F	5815-228-6704	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-9 Sig Dwg SC-C-69992-9			1	(0.5)	0.3	5		50030
P1 F	5815-228-6705	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-10 Sig Dwg SC-C-69992-10			1	(0.5)	0.3	5		50031
P1 F	5815-228-6752	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-11 Sig Dwg SC-C-69992-11			1	(0.5)	0.3	5		50032
P1 F	5815-224-6460	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-12 Sig Dwg SC-C-69992-12			1	(0.5)	0.3	5		50033
P1 F	5815-228-6703	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-13 Sig Dwg SC-C-69992-13			1	(0.5)	0.3	5		50034
P1 F	5815-224-6459	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-14 Sig Dwg SC-C-69992-14			1	(0.5)	0.3	5		50035
P1 F	5815-228-6712	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-15 Sig Dwg SC-C-69992-15			1	(0.5)	0.3	5		50036
P1 F	5815-228-6702	†	†	†	†			BAR, CONNECTING, TELETYPEWRITER: Stamped-16 Sig Dwg SC-C-69992-16			1	(0.5)	0.3	5		50037

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-228-6710	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-17 Sig Dwg SC-C-69992-17			1	(0.5)	0.3	5		50038
P1 F	5815-228-6696	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-18 Sig Dwg SC-C-69992-18			1	(0.5)	0.3	5		50039
P1 F	5815-228-6700	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-19 Sig Dwg SC-C-69992-19			1	(0.5)	0.3	5		50040
P1 F	5815-228-6711	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-20 Sig Dwg SC-C-69992-20			1	(0.5)	0.3	5		50041
P1 F	5815-228-6695	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-21 Sig Dwg SC-C-69992-21			1	(0.5)	0.3	5		50042
P1 F	5815-228-6754	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-22 Sig Dwg SC-C-69992-22			1	(0.5)	0.3	5		50043
P1 F	5815-228-6697	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-23 Sig Dwg SC-C-69992-23			1	(0.5)	0.3	5		50044
P1 F	5815-228-6706	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-24 Sig Dwg SC-C-69992-24			1	(0.5)	0.3	5		50045
P1 F	5815-228-6698	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-25 Sig Dwg SC-C-69992-25			1	(0.5)	0.3	5		50046
P1 F	5815-228-6699	† † † †	BAR, CONNECTING, TELETYPEWRITER: Stamped-26 Sig Dwg SC-C-69992-26			1	(0.5)	0.3	5		50047
			NOTE: The following set of type Bars may be used when Teletypewriters TT-98/FG, TT-98A/FG, TT-98B/FG, TT-98C/FG are operated at 60 WPM								
P1 F	5815-253-9745	† † † †	BAR, T, TELETYPEWRITER: (Z'') Sig Dwg SM-D-187782-1			1	0.5	0.3	5		50054A
P1 F	5815-253-9746	† † † †	BAR, T, TELETYPEWRITER: (J,) Sig Dwg SM-D-187782-2			1	0.5	0.3	5		50055A
P1 F	5815-243-5926	† † † †	BAR, T, TELETYPEWRITER: (Xl) Sig Dwg SM-D-187782-3			1	0.5	0.3	5		50056A
P1 F	5815-243-5925	† † † †	BAR, T, TELETYPEWRITER: (V;) Sig Dwg SM-D-187782-4			1	0.5	0.3	5		50057A
P1 F	5815-356-3241	† † † †	BAR, T, TELETYPEWRITER: (B?) Sig Dwg SM-D-187782-5			1	0.5	0.3	5		50058A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5815-356-3242	†	†	†	†			BAR, T, TELETYPEWRITER: (C:) Sig Dwg SM-D-187782-6			1	0.5	0.3	5		50059A
	P1	F		5815-356-3243	†	†	†	†			BAR, T, TELETYPEWRITER: (PØ) Sig Dwg SM-D-187782-7			1	0.5	0.3	5		50060A
	P1	F		5815-356-3244	†	†	†	†			BAR, T, TELETYPEWRITER: (M.) Sig Dwg SM-D-187782-8			1	0.5	0.3	5		50061A
	P1	F		5815-356-3245	†	†	†	†			BAR, T, TELETYPEWRITER: (F!) Sig Dwg SM-D-187782-9			1	0.5	0.3	5		50062A
	P1	F		5815-356-3246	†	†	†	†			BAR, T, TELETYPEWRITER: (R4) Sig Dwg SM-D-187782-10			1	0.5	0.3	5		50063A
	P1	F		5815-356-3247	†	†	†	†			BAR, T, TELETYPEWRITER: (09) Sig Dwg SM-D-187782-11			1	0.5	0.3	5		50064A
	P1	F		5815-356-3248	†	†	†	†			BAR, T, TELETYPEWRITER: (I8) Sig Dwg SM-D-187782-12			1	0.5	0.3	5		50065A
	P1	F		5815-356-3249	†	†	†	†			BAR, T, TELETYPEWRITER: (T5) Sig Dwg SM-D-187782-13			1	0.5	0.3	5		50066A
	P1	F		5815-356-3250	†	†	†	†			BAR, T, TELETYPEWRITER: (E3) Sig Dwg SM-D-187782-14			1	0.5	0.3	5		50067A
	P1	F		5815-356-3251	†	†	†	†			BAR, T, TELETYPEWRITER: (A-) Sig Dwg SM-D-187782-15			1	0.5	0.3	5		50068A
	P1	F		5815-356-3254	†	†	†	†			BAR, T, TELETYPEWRITER: (N,) Sig Dwg SM-D-187782-18			1	0.5	0.3	5		50071A
	P1	F		5815-356-3255	†	†	†	†			BAR, T, TELETYPEWRITER: (L)) Sig Dwg SM-D-187782-19			1	0.5	0.3	5		50072A
	P1	F		5815-356-3256	†	†	†	†			BAR, T, TELETYPEWRITER: (D$) Sig Dwg SM-D-187782-20			1	0.5	0.3	5		50073A
	P1	F		5815-356-3257	†	†	†	†			BAR, T, TELETYPEWRITER: (U7) Sig Dwg SM-D-187782-21			1	0.5	0.3	5		50074A
	P1	F		5815-356-3258	†	†	†	†			BAR, T, TELETYPEWRITER: (G&) Sig Dwg SM-D-187782-22			1	0.5	0.3	5		50075A
	P1	F		5815-356-3259	†	†	†	†			BAR, T, TELETYPEWRITER: (Y6) Sig Dwg SM-D-187782-23			1	0.5	0.3	5		50076A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-356-3260	† † † †	BAR, T, TELETYPEWRITER: (W2) Sig Dwg SM-D-187782-24			1	0.5	0.3	5		50077A
P1 F	5815-356-3261	† † † †	BAR, T, TELETYPEWRITER: (KC) Sig Dwg SM-D-187782-25			1	0.5	0.3	5		50078A
P1 F	5815-356-3262	† † † †	BAR, T, TELETYPEWRITER: (Q1) Sig Dwg SM-D-187782-26			1	0.5	0.3	5		50079A
P1 F	5815-534-3035	† † † †	BAR, T, TELETYPEWRITER: (H) Sig Dwg SM-D-187782-Group 22			1	0.5	0.3	5		56683A
P1 F	5815-545-8207	† † † †	BAR, T, TELETYPEWRITER: (S) Sig Dwg SM-D-187782-Group 16			1	0.5	0.3	5		56684A
			NOTE: The following set of type Bars should be used when Teletypewriters TT-98/FG, TT-98A/FG, TT-98B/FG, TT-98/FG are operated at 100 wpm								
P1 F	5815-602-2798	† † † †	BAR, T, TELETYPEWRITER: marked ''Z; Kleinschmidt part #62211			1	(0.5)	0.3	5		62211
P1 F	5815-602-2766	† † † †	BAR, T, TELETYPEWRITER: marked 'J; Kleinschmidt part #62212			1	(0.5)	0.3	5		62212
P1 F	5815-602-2797	† † † †	BAR, T, TELETYPEWRITER: marked 1X; Kleinschmidt part #62213			1	(0.5)	0.3	5		62213
P1 F	5815-602-2796	† † † †	BAR, T, TELETYPEWRITER: marked ;V; Kleinschmidt part #62214			1	(0.5)	0.3	5		62214
P1 F	5815-602-2795	† † † †	BAR, T, TELETYPEWRITER: marked ?B; Kleinschmidt part #62215			1	(0.5)	0.3	5		62215
P1 F	5815-602-2762	† † † †	BAR, T, TELETYPEWRITER: marked :C; Kleinschmidt part #62216			1	(0.5)	0.3	5		62216
P1 F	5815-602-2792	† † † †	BAR, T, TELETYPEWRITER: marked ØP; Kleinschmidt part #62217			1	(0.5)	0.3	5		62217
P1 F	5815-602-2785	† † † †	BAR, T, TELETYPEWRITER: marked .M; Kleinschmidt part #62218			1	(0.5)	0.3	5		62218
P1 F	5815-602-2782	† † † †	BAR, T, TELETYPEWRITER: marked !F; Kleinschmidt part #62219			1	(0.5)	0.3	5		62219
P1 F	5815-602-2788	† † † †	BAR, T, TELETYPEWRITER: marked 4R; Kleinschmidt part #62220			1	(0.5)	0.3	5		62221

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-602-2787	† † † †	BAR, T, TELETYPEWRITER: marked 9O; Kleinschmidt part #62221			1	(0.5)	0.3	5		62221
P1 F	5815-602-2767	† † † †	BAR, T, TELETYPEWRITER: marked 8I; Kleinschmidt part #62222			1	(0.5)	0.3	5		62222
P1 F	5815-602-2789	† † † †	BAR, T, TELETYPEWRITER: marked 5T; Kleinschmidt part #62223			1	(0.5)	0.3	5		62223
P1 F	5815-602-2781	† † † †	BAR, T, TELETYPEWRITER: marked 3E; Kleinschmidt part #62224			1	(0.5)	0.3	5		62224
P1 F	5815-602-2776	† † † †	BAR, T, TELETYPEWRITER: marked -A;; Kleinschmidt part #62225			1	(0.5)	0.3	5		62225
P1 F	5815-602-2786	† † † †	BAR, T, TELETYPEWRITER: marked ,N; Kleinschmidt part #62228			1	(0.5)	0.3	5		62228
P1 F	5815-602-2784	† † † †	BAR, T, TELETYPEWRITER: marked)L; Kleinschmidt part #62229			1	(0.5)	0.3	5		62229
P1 F	5815-602-2775	† † † †	BAR, T, TELETYPEWRITER: marked $D; Kleinschmidt part #62230			1	(0.5)	0.3	5		62230
P1 F	5815-602-2773	† † † †	BAR, T, TELETYPEWRITER: marked 7U; Kleinschmidt part #62231			1	(0.5)	0.3	5		62231
P1 F	5815-602-2763	† † † †	BAR, T, TELETYPEWRITER: marked &G; Kleinschmidt part #62232			1	(0.5)	0.3	5		62232
P1 F	5815-602-2772	† † † †	BAR, T, TELETYPEWRITER: marked 6Y; Kleinschmidt part #62233			1	(0.5)	0.3	5		62233
P1 F	5815-602-2770	† † † †	BAR, T, TELETYPEWRITER: marked 2W; Kleinschmidt part #62234			1	(0.5)	0.3	5		62234
P1 F	5815-602-2783	† † † †	BAR, T, TELETYPEWRITER: marked (K; Kleinschmidt part #62235			1	(0.5)	0.3	5		62235
P1 F	5815-602-2769	† † † †	BAR, T, TELETYPEWRITER: marked 1Q; Kleinschmidt part #62236			1	(0.5)	0.3	5		62236
P1 F	5815-602-2765	† † † †	BAR, T, TELETYPEWRITER: marked H; Kleinschmidt part #62260			1	(0.5)	0.3	5		62260
P1 F	5815-602-2764	† † † †	BAR, T, TELETYPEWRITER: marked S; Kleinschmidt part #62261			1	(0.5)	0.3	5		62261

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-521-8729	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 4)			2					50315
P1 F	5310-062-2948	†	†	†	†			WASHER, FLAT: Sig dwg SC-B-69322-3			2	0.5	0.3	20		50320
P1 F	5815-240-0190	†	†	†	†			COLLAR, SHAFT: Sig dwg SC-B-70020			2	0.5	0.3	2		50392
P1 F	5815-356-3317	†	†	†	†			PLATE, DETENT: Kleinschmidt part No. 50393			1	0.3	0.2	2		50393
P1 F	5815-598-4994	†	†	†	†			SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-11			1	(0.7)	0.4	10		50403
P1 F	5310-523-2143	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 3)			2					50414
P1 F	5815-356-3322	†	†	†	†			BRACKET, L.H.: Sig dwg SC-B-70045			1	0.3	0.2	2		50423A
P1 F	5815-356-3323	†	†	†	†			BRACKET, R.H: Sig Dwg SC-B-70048			1	0.3	0.2	2.5		50429A
P1 F	5815-356-3324	†	†	†	†			CUSHION: Sig dwg SC-B-70050			1	(0.7)	0.4	10		50429A
P1 F	5815-356-3325	†	†	†	†			NUT, PLAIN, PLATE: Sig dwg SC-B-70021			2	1.0	0.7	20		50434
P1 F	5815-356-3326	†	†	†	†			SHAFT: Sig dwg SC-B-70054			2	0.5	0.3	2		50435A
P1 F	5815-598-4997	†	†	†	†			SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-12			2	(1.0)	0.7	20		50447
P1 F	5815-246-8409	†	†	†	†			PLATE, TELETYPEWRITER, RETRACTOR: Sig Dwg SC-C-69994			1	0.3	0.2	2		50547A
P1 F	5815-640-4815	†	†	†	†			GEAR, BEVEL: Sig dwg SC-B-70022			2	(1.0)	0.7	10		50448
P1 F	5815-356-3359	†	†	†	†			SEGMENT GUIDE: Sig dwg SC-C-69996			1	0.3	0.2	2		50549A
P1 F	5315-351-7931	†	†	†	†			SEGMENT, KEY: Sig dwg SC-B-69997			1	0.3	0.2	2		50550
P1 F	5815-356-3360	†	†	†	†			SHIM: Sig dwg SC-B-69998 (Authorized allowances based on a total of 2)			1	0.5	0.3	20		50552
P1 F	5815-356-3361	†	†	†	†			CLAW: Sig dwg SC-B-70068			1	0.3	0.2	2		50553A
P1 F	5815-203-1520	†	†	†	†			GEAR, HELICAL: Sig dwg SC-B-69999			1	(0.7)	0.4	5		50556
P1 F	5815-356-3362	†	†	†	†			SPACER, SLEEVE: Sig dwg SC-B-70000			1	0.3	0.2	2		50557

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continud)								
P1 F	5315-243-8876	† † † †	KEY, MACHINE: Sig dwg SC-B-70001			1	0.3	0.2	5		50558
P1 F	5310-221-4915	† † † †	NUT, PLAIN, HEXAGONAL: Sig dwg SC-B-70002			1	0.7	0.4	10		50559
P1 F	5815-652-4438	† † † †	ARM: Sig dwg SC-B-70071			1	0.3	0.2	10		50560A
P1 F	5310-521-8480	† † † †	NUT, PLAIN, ROUND: Sig dwg SC-B-70003			1	0.7	0.4	10		50564
P1 F	5815-356-3365	† † † †	PIN, HINGE: Sig dwg SC-B-70005			1	0.3	0.2	2		50572
P1 F	5305-521-8481	† † † †	BOLT, EXTERNALLY RELIEVED BODY: Sig Dwg SC-B-70009			4	0.8	0.5	12		50591
P1 F	5305-351-7940	† † † †	STUD: Sig dwg SC-B-70011			1	0.3	0.2	2		50593
P1 F	5305-351-7941	† † † †	STUD, THREADED: Sig dwg SC-B-70012			1	0.7	0.4	10		50594
P1 F	5340-598-4972	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-20			26	(6.6)	3.1	260		50595
P1 F	5305-298-8573	† † † †	SCREW, MACHINE: Sig dwg SC-B-70014			4	1.4	1.0	40		51132
P1 F	5815-356-3492	† † † †	SPRING,HELICAL,EXTENSION: (For authorized allowances see Group 3)			1					51544
P1 F	5815-393-1903	† † † †	PLATE STOP: Sig dwg SM-B-148418			1	0.3	0.2	2		52253
P1 F	5815-663-3315	† † † †	SPRING, HELICAL COMPRESSION: Sig dwg SM-B-148310-8			2	(1.0)	0.7	10		53961
P1 F	5815-322-5593	† † † †	LEVER: Sig dwg SM-B-187037			1	(0.5)	0.3	10		55026A
P1 F	5815-322-5594	† † † †	LEVER: Sig dwg SM-B-171639			1	(0.5)	0.3	10		55028A
P1 F	5815-322-5595	† † † †	GUIDE, RIBBON: Sig dwg SM-B-187040			1	0.3	0.2	5		55036
P1 F	5815-600-3022	† † † †	BRACKET, MOUNTING: Sig dwg SM-C-171510			1	0.3	0.2	2		55147
P1 F	5815-537-7696	† † † †	LEVER, ASSEMBLY: Sig dwg SM-B-187177			1	(0.5)	0.3	10		55790A
P1 F	5815-537-7697	† † † †	LEVER,ASSEMBLY: Sig dwg SM-B-187179			1	(0.5)	0.3	10		55795A
P1 F	5815-594-4071	† † † †	RACK: Kleinschmidt part #57951			1	0.3	0.2	2		57951
P1 F	5815-020-8834	† † † †	DETENT, RATCHET: Kleinschmidt part #61288			1	0.3	0.2	2		61288

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5330-841-6378	† † † †	WASHER, NONMETALLIC: Kleinschmidt part #61476			1	1.4	1.0	10		61476
P1 F	5815-472-7289	† † † †	DRIVE, RIBBON: Kleinschmidt part #63503A			1	0.3	0.2	2		63503A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
			GROUP 6 MAIN FRAME ASSEMBLY								
P1 F	5815-323-7321	† † †	ELECTROMAGNET: Kleinschmidt #56130A			1	(0.7)	0.4	2		E2
P1 F	5935-296-8675	† † † †	CONNECTOR, PLUG, ELECTRICAL: Amphenol part 26-195			2	(1.0)	0.7	20		P2, P8
P1 F	5905-556-5561	† † † †	RESISTOR, VARIABLE: MIL-R-94 type No. RV4ATSA502			1	(0.7)	0.4	5		R4
P1 F	5815-652-8949	† † † †	MOTOR, STOP SWITCH: Kleinschmidt part No. 59989A			1	(0.7)	0.4	10		S1
P1 F	5305-335-0400	† † † †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10000			1	0.7	0.4	10		10000
P1 F	5305-521-8637	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 1)			1					10001
P1 F	5305-531-9034	† † † †	SCREW, CAP SOCKET HEAD: (For authorized allowances see Group 3)			12					10003
P1 F	5305-753-4356	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			7					10004
P1 F	5305-655-9483	† † † †	SCREW, CAP, SOCKET HEAD: Mil MS-16998-11			3	1.3	0.9	30		10005
P1 F	5305-514-7228	† † †	SCREW, CAP, SOCKET HEAD: Mil MS-16998-12 (Authorized allowances based on a total of 3)			1	1.3	0.9	30		10006
P1 F	5305-274-0401	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			5					10008-01
P1 F	5305-297-7966	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			3					10009
P1 F	5305-206-2476	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			6					10010

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5305-570-5987	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)p			3					10011
P1 F	5305-514-7729	†	†	†				SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10014			2	1.0	0.7	20		10014
P1 F	5305-545-8344	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10017-01			6	2.3	0.9	60		10017-01
P1 F	5305-570-6002	†	†	†	†			SCREW, CAP, SOCKET HEAD: Mil MS-16998-29 (Authorized allowances based on a total of 5)			2	1.9	1.3	50		10018
P1 F	5305-537-8200	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10018-01 (Authorized allowances based on a total of 5)			4	1.9	1.3	50		10018-01
P1 F	5305-660-2431				†			SCREW, CAP, SOCKET HEAD: MIL MS-16998-45			1	0.7	0.4	10		10021
P1 F	5305-655-6955	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			2					10024
P1 F	5305-530-9381	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10024-01			1	0.7	0.4	10		10024-01
P1 F	5305-297-7962	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			4					10025
P1 F	5305-545-8374	†	†	†				SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10032 (Authorized allowances based on a total of 6)			2	2.3	0.9	60		10032
P1 F	5305-805-6598				†			SCREW, CAP, SOCKET HEAD: MIL MS16997-11 (Authorized allowances based on a total of 6)			2	2.3	0.9	60		10043
P1 F	5305-206-2478				†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10046			1	0.7	0.4	10		10046
P1 F	5305-546-6876	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10052 (Authorized allowances based on a total of 7)			3	2.3	0.9	70		10052

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & UGC-4 (continued)								
	P1	F		5305-721-4490	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL 16997-9			2	1.0	0.7	20		10058
	P1	F		5305-297-7700	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10076			2	1.0	0.7	20		10076
	P1	F		5305-543-2595	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10090			1	0.7	0.4	10		10090
	P1	F		5305-537-8241	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10111			1	0.7	0.4	10		10111
	P1	F		5305-698-5294	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10179			9	2.3	0.9	70		10179
	P1	F		5305-333-4261	†	†	†				SETSCREW: (For authorized allowances see Group 5)			10					10201
	P1	F		5305-333-4262	†	†	†	†			SETSCREW: (For authorized allowances see Group 4)			7					10203
	P1	F		5305-576-5488	†	†	†	†			SETSCREW: Kleinschmidt part #10208 (Authorized allowances based on a total of 10)			6	(3.1)	1.3	100		10208
	P1	F		5305-207-8967	†	†	†	†			SETSCREW: (For authorized allowances see Group 3)			18					10209
	P1	F		5305-206-5101	†	†	†	†			SETSCREW: Kleinschmidt part #10212			1	(0.7)	0.4	10		10212
	P1	F		5305-297-7909	†	†	†	†			SETSCREW: Mil MS-51027-30			1	(0.7)	0.4	10		10220
	P1	F		5305-297-7894	†	†	†	†			SETSCREW: Mil MS-51020-27			2	(1.0)	0.7	20		10221
	P1	F		5305-297-7905	†	†	†	†			SETSCREW: Mil MS-51020-49 (Authorized allowances based on a total of 4)			2	(1.4)	1.0	40		10223

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5305-297-7962	† † † †	SETSCREW: Mil type MS-51027-29			2	(1.0)	0.7	30		10225
P1 F	5305-047-3896	†	SETSCREW: Mil type MS51028-48 (Authorized allowances based on a total of 15)			4	(4.2)	1.8	150		10234
P1 F	5305-545-8466	† † † †	SETSCREW: Mil type MS51028-29			2	(1.0)	0.7	20		10235
P1 F	5305-521-8638	† † † †	SCREW, MACHINE: (For authorized allowances see Group 3)			2					10304
P1 F	5305-521-8649	† † †	SCREW, MACHINE: Kleinschmidt part No. 10307			1	0.7	0.4	10		10307
P1 F	5305-638-0861	† † † †	SCREW, MACHINE: Kleinschmidt part No. 10317			3	1.3	0.9	30		10317
P1 F	5305-298-8569	† † † †	SCREW, MACHINE: Kleinschmidt part No. 103197			1	0.7	0.4	10		10319
P1 F	5305-533-5352	† † † †	SCREW, MACHINE: Kleinschmidt part No. 10320			1	0.7	0.4	10		10320
P1 F	5305-567-2883	† † † †	SCREW, MACHINE: Kleinschmidt part No. 10362			2	1.0	0.7	20		10362
P1 F	5305-206-3903	† † † †	SCREW, MACHINE: Kleinschmidt part No. 10386			2	1.0	0.7	20		10386
P1 F	5305-207-5582	† † † †	SCREW, MACHINE: (For authorized allowances see Group 1)			4					10393

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-209-3990	† † † †	WASHER, LOCK: (For authorized allowances see group 3)			3					10403
P1 F	5310-543-2739	† † † †	WASHER, LOCK: (For authorized allowances see group 1)			2					10404
P1 F	5310-282-9584	† † †	WASHER, LOCK: Mil type MS35333-73 (Authorized allowances based on a total of 28)			11	7.0	3.2	280		10405
P1 F	5310-261-6197	† † † †	WASHER, LOCK: Shakeproof part No. 4010-14-00 (Authorized allowances based on a total of 4)			2	1.4	1.0	40		10406
P1 F	5310-180-0277	† † † †	WASHER, LOCK: Mil type MS35333-76			1	0.7	0.4	10		10419
P1 F	5310-637-9606	† † † †	WASHER, LOCK: Kleinschmidt part No. 10420			2	1.0	0.7	20		10420
P1 F	5310-515-9940	† † †	WASHER, LOCK: Mil type MS35333-58			1	0.7	0.4	10		10424
P1 F	5310-515-7997	† † † †	WASHER, LOCK: (For authorized allowances see group 1)			28					10429
P1 F	5310-209-3871	† † † †	WASHER, LOCK: (For authorized allowances see group 3)			14					10430
P1 F	5310-198-3711	† † † †	WASHER, LOCK: (For authorized allowances see group 3)			3					10431
P1 F	5310-017-8164	† † † †	WASHER, LOCK: Mil type MS35339-58			3	1.3	0.9	30		10433
P1 F	5310-209-3860	† † † †	WASHER, LOCK: (For authorized allowances see group 1)			2					10434

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-209-1239	†	WASHER, LOCK: Mil type MS35335-60			2	1.0	0.7	20		10437
P1 F	5310-186-7410	† † † †	WASHER, FLAT: Mil MS-27183-6 (Authorized allowances based on a total of 16)				1.9	1.3	160		10450
P1 F	5310-639-8165	† † † †	WASHER, FLAT: (For authorized allowances see group 3)			3					10458
P1 F	5310-616-3747	† † † †	WASHER, FLAT: (For authorized allowances see group 3)			5					10459
P1 F	5310-637-3945	† † † †	WASHER, FLAT: (For authorized allowances see group 3)			2					10464
P1 F	5340-697-3599	† † † †	RING, RETAINER: Waldes Kohinoor PN 5101-25-S-PP			1	(0.9)	0.6	10		10462
P1 F	5310-595-5385	† † † †	WASHER, FLAT: (For authorized allowances see group 4)			2					10467
P1 F	5310-551-7541	† † † †	NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see group 1)			11					10500
P1 F	5310-523-2035	† † † †	NUT, SELF-LOCKING, HEXAGONAL: (For authorized allowances see group 3)			7					10501
P1 F	5310-489-9725	† † † †	NUT, PLAIN HEXAGONAL: Kleinschmidt part No. 10502 (Authorized allowances based on a total of 2)			1	1.0	0.7	20		10502
P1 F	5310-550-1154	† † † †	NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 1)			2					10504
P1 F	5310-576-5487	† † †	NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10505 (Authorized allowances based on a total of 7)			5	2.3	0.9	70		10505

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & UGC-4 (continued)								
	P1	F		5310-546-6858	†	†	†	†			NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 3)			5					10507
	P1	F		5310-524-0219	†	†	†	†			NUT, PLAIN, WING: Kleinschmidt part No. 10508			1	0.7	0.4	10		10508
	P1	F		5310-208-6617	†	†	†	†			NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 5)			2					10509
	P1	F		5310-527-4494	†	†	†	†			NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10513			2	1.0	0.7	20		10513
	P1	F		5310-208-4124	†	†	†	†			NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10516 (Authorized allowances based on a total of 2)			1	0.7	0.4	20		10516
	P1	F		5310-521-8558	†	†	†	†			NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 1)			3					10520
	P1	F		5310-558-6035	†	†	†	†			NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10524			6	2.3	0.9	60		10524
	P1	F		5310-208-6742	†	†	†	†			NUT, PLAIN, HEXAGONAL: Kleinschmidt part No. 10529			1	0.7	0.4	10		10529
9	P1	F		3120-287-9068	†	†	†				BEARING, SLEEVE: Amplex part No. F-319 (Authorized allowances based on a total of 4)			2	0.8	0.5	20		10705
9	P1	F		3120-287-9007	†	†	†				BEARING, SLEEVE: Amplex part No. F-375-1 (Authorized allowances based on a total of 2)			1	0.5	0.3	100		10706
9	P1	F		3120-542-0187	†	†	†				BEARING, SLEEVE: Amplex part No. F-445-1(Authorized allowances based on a total of 3)			1	0.7	0.4	15		10708
9	P1	F		3120-662-2818	†	†	†				BEARING, SLEEVE: Amplex part No. A-548-1 (Authorized allowances based on a total of 2)			1	0.5	0.3	10		10712
9	P1	F		3110-155-9628	†	†	†	†			BEARING, BALL ANNULAR: (For authorized allowances see Group 3)			1					10753

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & UGC-4 (continued)								
9 P1 F	3110-155-9589	† † † †	BEARING, BALL ANNULAR: FAFNIR part No. 33 KDD3-FS160			1	0.7	0.4	50		10754
9 P1 F	3110-155-9601	† † † †	BEARING, BALL, ANNULAR: FAFNIR part No. 33 KDD 5-FS160			1	1.3	0.9	15		10755
9 P1 F	3110-144-8850	† † † †	BEARING, BALL, ANNULAR: FAFNIR part No. 37 KDD3-160			1	0.7	0.4	5		10756
9 P1 F	3110-144-8858	† † † †	BEARING, BALL ANNULAR: (For authorized allowances see Group 5)			2					10757
P1 F	3110-144-8865	† † † †	BEARING, BALL ANNULAR: FAFNIR part No. 39KDD-FS160			1	0.7	0.4	5		10758
P1 F	5315-839-2326	† † † †	PIN, COTTER: Mil type MS-24665-281			2	(1.4)	1.0	10		10805
P1 F	5315-242-5473	† † † †	PIN, COTTER: Kleinschmidt part No. 10806			2	(1.4)	1.0			10806
P1 F	5315-209-7626	† † † †	PIN, TAPPERED, PLAIN: Kleinschmidt part No. 10860			3	0.7	0.4	6		10860
P1 F	5315-058-7353	† † †	PIN, TAPER: Kleinschmidt part No. 10862			1	0.3	0.2	2		10862
P1 F	5315-537-7638	† † † †	PIN, STRAIGHT HEADLESS: Kleinschmidt part No. 10917 (Authorized allowances based on a total of 6)			2	1.0	0.7	12		10917
P1 F	7530-223-7966	† † † †	PAPER, RECORDING: Kleinschmidt part No. 10931			1	(169.8)	159.0	500		10931
9 P1 F	5340-282-0813	† † † †	RING, RETAINING: (For authorized allowances see Group 3)			8					10949
P1 F	5340-282-0778	† † † †	RING, RETAINING: Waldes part X5133-31-PP			2	(1.4)	1.0	10		10959
P1 F	5340-256-2867	† † † †	RING, RETAINING: (For authorized allowances see Group 1)			4					10960
P1 F	5340-282-0780	† † † †	RING, RETAINING: (For authorized allowances see Group 1)			2					10969

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & UGC-4 (continued)								
P1 F	5315-597-2409	† † † †	PIN, SPRING: ESNA part No. 52-022-194-0312			4	(0.8)	0.5	2		11059
P1 F	5305-619-4700	† † † †	SCREW, MACHINE: Kleinschmidt part No. 11209			1	0.7	0.4	10		11209
P1 F	5940-642-4428	† † †	TERMINAL LUG: Thomas & Betts part STA-KON V-33			2	0.4	0.3	10		20379
P1 F	5340-399-7867	† † † †	CLAMP, LOOP: (For authorized allowances see Group 3)			1					20519
P1 F	5340-209-9361	† † † †	BUMPER, RUBBER: Lavelle Rubber part No. 35PB			1	0.7	0.4	20		20762
P1 F	5815-356-3235	† † † †	LEVER: Sig dwg SC-B-69491			1	(0.5)	0.3	10		50014
P1 F	5815-330-9941	† † † †	BEARING, SET: (For authorized allowances see Group 3)			1					50019A
P1 F	5815-356-3238	† † † †	LATCH, LEVER: Sig Dwg SC-B-69472			1	0.5	0.3	10		50020A
P1 F	5310-523-2002	† † † †	WASHER, FLAT: Sig dwg SC-B-69325-3			1	0.3	0.2	10		50053
P1 F	5815-330-9942	† † † †	BEARING, PIVOT: Sig dwg SC-B-69495			1	0.3	0.2	2		50146
P1 F	5310-521-8475	† † † †	WASHER, FLAT: (For authorized allowances see Group 3)			4					50147
P1 F	5310-523-2003	† † † †	WASHER, FLAT: Sig dwg SC-B-69389-3			9	1.3	0.9	90		50148
P1 F	5305-524-5612	† † † †	NUT, PLAIN PLATE: Sig dwg No. SC-B-69499			1	0.7	0.4	10		50174
P1 F	5305-514-7484	† † †	SCREW, MACHINE: Sig dwg No. SC-B-69671			2	1.0	0.7	20		50207
P1 F	5310-521-8729	† † †	WASHER , FLAT: (For authorized allowances see group 4)			2					50315
P1 F	5815-600-2698	† † † †	CAM: Sig dwg SC-B-69594			1	(0.3)	0.2	2		50317A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & UGC-4(Continued)								
P1 F	5310-596-6990	† † †	WASHER, FLAT: Sig dwg SC-B-69322-2 Sig Dwg SC-B-69322-2			2	0.5	0.3	20		50319
P1 F	5815-356-3307	† † † †	POST, ANCHOR: Sig dwg SC-B-69503			1	0.3	0.2	2		50325A
P1 F	5815-203-1678	† † †	GEAR, WORM: 60 wpm; Sig Dwg SC-B-69681			1	(0.7)	0.4	5		50350
			OR								
P1 F	5815-378-5593	† † †	GEAR, WORM WHEEL: 60 WPM, SIG dwg SC-B-69663			1	(0.7)	0.4	5		50352A
			OR								
P1 F	5815-203-1327	† † †	GEAR, WORM: 100 wpm; Sig dwg SC-B-70482			1	(0.7)	0.4	5		50596
			OR								
P1 F	5815-351-7944	† †	GEAR, WORM WHEEL: Sig dwg SC-B-70478			1	(0.7)	0.4	5		50597A
P1 F	5310-523-2236	† † † †	WASHER, FLAT: Sig dwg No. SC-B-69580			1	0.3	0.2	10		50374
P1 F	5815-622-2014	† † † †	CLUTCH, FRICTION: Sig dwg No. 148341			1	(0.7)	0.4	5		50377A
P1 F	5815-203-1447	† † †	GEAR, SPUR: Sig dwg SC-B-69581			1	(0.7)	0.4	5		50383
P1 F	5310-524-5656	† † †	WASHER,FLAT: Sig dwg No. SC-B-69389-5			2	0.5	0.3	20		50384
P1 F	5815-356-3318	†	RAIL, CARRIAGE: SIG C DWG SC-C-69604			1	0.3	0.2	20		50394A
P1 F	5815-356-3327	† † † †	SHAFT: Sig dwg No. SC-B-69585			1	0.3	0.2	20		50456
P1 F	5315-141-1695	†	PIN, STRAIGHT HEADLESS: Sig dwg SC-B-69637			2	0.5	0.3	4		50458
P1 F	5815-356-3333	† † † †	LINK, CONNECTING: Sig dwg SC-B-69586			1	0.3	0.2	2		50483
P1 F	5310-521-8734	† †	WASHER, FLAT: Sig dwg SC-B-69322-5 (Authorized allowances based on a total of 6)			2	1.0	0.7	60		50494
P1 F	5815-356-3339	† † †	BAR, SELECTOR, TELETYPEWRITER: Sig dwg SC-B-69639			32	(5.6)	2.5	160		50502

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & UGC-4 (continued)								
P1 F	5815-356-3342	†	SPACER, SLEEVE: Sig dwg SC-B-69587			1	0.3	0.2	2		50505
P1 F	5815-356-3345	†	STOP, LEVER: Sig Dwg SC-B-69483			1	0.5	0.3	10		50511
P1 F	5815-351-7928	†	GEAR, SPUR: Sig dwg SM-B-148346			1	(0.7)	0.4	5		50512A
P1 F	5310-521-8723	†	WASHER, FLAT: Sig dwg SC-B-69325-4			2	0.5	0.3	20		5051550
P1 F	5815-607-3904	†	DRUM, CLUTCH: Sig dwg SC-B-70505			1	(0.7)	0.4	5		50516A
P1 F	5815-228-6715	†	BAIL, PRINT: Sig dwg SC-B-69676			1	0.3	0.2	2		50533
P1 F	5815-356-3354	†	SHAFT: Sig dwg SC-B-69677			1	0.3	0.2	2		50534
P1 F	5815-356-3355	†	ARM: Sig dwg SC-B-69625			1	0.3	0.2	10		50535A
P1 F	5815-356-3360	†	SHIM: (For authorized allowances see Group 5)			1					50552
P1 F	5815-243-8497	†	GEAR, ASSEMBLY: Sig dwg SC-B-69626			1	(0.7)	0.4	5		50565A
P1 F	5815-356-3370	†	HOOK: Sig dwg SC-B-69517			1	0.3	0.2	2		50598
P1 F	5815-356-3371	†	SHAFT ASSEMBLY: Sig dwg SC-B-70404			1	0.3	0.2	2		50605A
P1 F	5815-351-7948	†	STUD: Sig dwg SC-B-69465			1	0.3	0.2	2		50650
P1 F	5310-576-5486	†	NUT, PLAIN, HEXAGONAL: Sig dwg SC-B-69466			1	0.7	0.4	10		50651
P1 F	5815-351-7951	†	GASKET: Sig dwg SC-B-69664			1	(0.7)	0.4	20		50725
P1 F	5815-356-3394	†	PLATE: Sig dwg SC-B-69541			1	0.3	0.2	2		50735
P1 F	5815-356-3395	†	GATE APERTURE: Sig dwg SC-B-69518			1	0.3	0.2	2		50743A
P1 F	5310-638-5179	†	WASHER, FLAT: Sig dwg SC-B-69322-6			1	0.3	0.2	10		50746
P1 F	5815-356-3397	†	CAM: Sig dwg SC-B-69706			1	(0.3)	0.2	2		50752
P1 F	5815-356-3398	†	CAM: Sig dwg SC-B-69707			1	(0.3)	0.2	2		50753A
P1 F	5815-224-6461	†	BAR, PUNCH, TELETYPEWRITER: Sig dwg SC-B-69544			2	(0.8)	0.5	10		50755
P1 F	5815-356-3402	†	LEVER: Sig dwg SC-B-69529			1	(0.5)	0.3	10		50760

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & UGC-4 (continued)								
P1 F	5815-356-3438	† † † †	LATCH: Sig dwg SC-B-69525			1	0.3	0.2	2		50821
P1 F	5815-356-3439	† † † †	FOLLOWER, CAM: Sig dwg SC-B-148352			1	0.3	0.2	5		50822A
P1 F	5310-523-2005	† † † †	WASHER, FLAT: Sig dwg SC-B-69907-2			1	0.3	0.2	10		50839
P1 F	5815-356-3445	† † † †	CLAW: Sig dwg SC-B-70494			1	0.3	0.2	2		50841A
P1 F	5815-357-3446	† † † †	ROLLER: Sig dwg SC-B-69666			2	(0.7)	0.4	2		50843
P1 F	5815-233-0954	† † † †	SPRING, HELICAL; COMPRESSION: Sig dwg SC-B-69507-11			1	(0.7)	0.4	5		50848
P1 F	5815-662-6718	† † † †	BEARING, SLEEVE: Sig dwg SC-B-69709			1	0.3	0.2	5		50852
P1 F	5815-356-3454	† † † †	LEVER: Sig dwg SM-B-148355			1	(0.5)	0.3	10		50874
P1 F	6350-243-1251	† † † †	CLAPPER, ELECTRICAL BELL: Sig dwg SM-B-148357			1	0.3	0.2	2		50879A
P1 F	5815-224-6462	† † † †	BAR, PUNCH, TELETYPEWRITER: Sig dwg SC-B-69544			1	(0.5)	0.3	5		50881
P1 F	5315-351-7959	† † † †	STUD, PILOT: Sig dwg SC-B-70547			1	0.3	0.2	2		50886
P1 F	5815-598-4993	† † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-3			1	(0.7)	0.4	10		50901
P1 F	5815-598-4965	† † † †	SPRING, HELICAL, EXTENSION: (For authorized allowances see Group 3)			6					50902
P1 F	5815-598-4995	† † † †	SPRING, HELICAL; EXTENSION: Sig dwg SC-B-69337-4			1	(0.7)	0.4	10		50903
P1 F	5815-598-4978	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-6			1	(0.7)	0.4	10		50904
P1 F	5815-598-4979	† † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-10			1	(0.7)	0.4	10		50906
P1 F	5815-598-4982	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-7			1	(0.7)	0.4	10		50915
P1 F	5815-598-4983	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-8 (Authorized allowances based on a total of 2)			1	(1.0)	0.7	20		50916

SELMS 003 TF
1 Jun 63

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & UGC-4 (continued)								
P1 F	5815-597-8275	† † † †	SPRING, HELICAL, COMPRESSION Sig dwg SC-B-69507-4			1	(0.7)	0.4	5		50917
P1 F	5340-351-7974	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-14			1	(0.7)	0.4	10		50919
P1 F	5815-598-4984	† † † †	SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69337-6			1	(1.0)	0.7	20		50920
P1 F	5815-598-4985	† † † †	SPRING, HELICAL, COMPRESSION Sig dwg SC-B-69326-13			1	(0.7)	0.4	5		50921
P1 F	5815-598-4945	†	SPRING, HELICAL, EXTENSION: (For authorized allowances see Group 3)			1					50941
P1 F	5815-356-3460	† † † †	ARM: Sig dwg SC-B-69665			1	0.3	0.2	10		50936
P1 F	5815-356-3462	† † † †	FOLLOWER: Sig dwg SC-B-69679			1	0.3	0.2	2		50948
P1 F	5815-570-3491	† † †	LEVER, SET: Sig dwg SC-B-187564			1	(0.5)	0.3	5		51066A
P1 F	5310-205-8352	† † † †	WASHER, FLAT Sig dwg SC-B-69591			1	0.3	0.2	10		51100
P1 F	5815-254-4768	† † † †	COUPLING, SHAFT FLEXIBLE: Sig dwg SC-B-70531			1	(0.7)	0.4	2		51167A
P1 F	5815-547-7872	† † † †	CAMSHAFT: Sig dwg SC-B-148365			1	0.3	0.2	5		51398A
P1 F	5310-209-0098	† † † †	WASHER, FLAT: Sig dwg SC-B-69322-9 (Authorized allowances see Group 3)			2	0.7	0.4	30		51408
P1 F	5815-356-3489	† † † †	SPACER, SLEEVE: Sig dwg SC-B-70256			2	0.5	0.3	4		51416
P1 F	5815-392-9518	† † † †	WASHER, FLAT: Sig dwg SC-B-70402			2	0.5	0.3	20		51424
P1 F	5815-356-3489	† † † †	BLOCK, GUIDE: Sig dwg SC-B-69542			1	0.3	0.2	2		51428
P1 F	5815-600-3014	† † † †	STOP, PLATTEN, ASSEMBLY: Sig dwg SC-B-70385			1	0.3	0.2	2		51463A
P1 F	5815-356-3519	† † † †	LEVER, SET: (For authorized allowances see Group 3)			1					51598A
P1 F	5340-598-4986	† † †	SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-29			1	(0.7)	0.4	10		51645

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								/FGC-20X & UGC-4 (continued)								
P1 F	5815-392-9531	†	†	†				FOLLOWER, CAM: Sig dwg SC-B-70426-Grp #2			1	(0.3)	0.2	5		51712A
P1 F	5815-392-9532	†	†	†				FOLLOWER, CAM: Sig dwg SC-B-70426-Grp #1			1	(0.3)	0.2	5		51714A
P1 F	5815-392-9533	†	†	†				COLLAR, SPACING: Sig dwg SC-B-70572			1	0.3	0.2	2		51717
P1 F	5815-338-4466	†	†	†				STUD: Sig dwg SC-B-70425			1	0.3	0.2	2		51719
P1 F	5815-598-4992	†	†	†				SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-28			2	(1.0)	0.7	20		51754
P1 F	5815-598-9022	†	†	†				SPRING, HELICAL, EXTENSION: Sig dwg SC-B-69326-27			1	(0.7)	0.4	10		51755
P1 F	5310-595-6452	†	†	†	†			WASHER, FLAT: Sig dwg SM-B-171489-1			2	0.5	0.3	20		51847
P1 F	5310-595-6482	†	†	†				WASHER, FLAT: Sig dwg SM-B-171622			2	0.5	0.3	20		51848
P1 F	5815-395-9455	†	†	†				SHAFT: Sig dwg SM-B-148423			1	0.3	0.2	2		52288
P1 F	5815-534-3014	†	†	†	†			STUD: Sig dwg SM-B-148435			1	0.3	0.2	2		52319
P1 F	5815-342-6022	†	†	†	†			LEVER: Sig dwg SM-B-149065			1	(0.5)	0.3	10		52394A
P1 F	5815-393-1910	†	†	†	†			LEVER: Sig dwg SC-B-70401			1	(0.5)	0.3	10		52454
P1 F	5815-663-3377	†	†	†	†			SPRING, HELICAL, EXTENSION: Sig dwg SM-B-186876-14			1	(0.7)	0.4	10		52501
P1 F	5815-393-1912	†	†	†	†			BRACKET: Sig dwg SM-B-148449			1	0.3	0.2	10		52543A
P1 F	5815-591-0867	†	†	†	†			POST, ANCHOR: Sig dwg SM-B-148451			1	0.3	0.2	2		52552
P1 F	5815-534-3017	†	†	†	†			STUD, THREADED: Sig dwg SM-B-148452			1	0.7	0.4	10		52553
P1 F	5815-392-7823	†	†	†				LEVER: Sig dwg SM-B-148456			1	(0.5)	0.3	10		52659A
P1 F	5815-096-7462	†	†	†				SCREW, ADJUSTMENT: Sig dwg SM-B-148458			2	1.0	0.7	20		52688
P1 F	5815-392-7838	†	†	†	†			LATCH, LEVER: Sig dwg SM-B-148465			1	0.5	0.3	10		52748
P1 F	5815-392-7839	†	†	†				LEVER: Sig dwg SM-B-148466			1	(0.5)	0.3	10		52749

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & UGC-4 (continued)								
P1 F	5815-393-1921	† † † †	DIAL, SCALE: Sig dwg SM-B-148536			1	0.3	0.2	2		52920A
P1 F	5815-393-1922	† † † †	LEVER, LATCHING: Sig dwg SM-B-148548			1	0.5	0.3	10		52938
P1 F	5340-200-6613	† † † †	SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148550			19	(4.9)	2.2	190		52940
P1 F	5815-392-7884	† † † †	LEVER: Sig dwg SM-B-148553			1	((0.5)	0.3	10		52945A
P1 F	5815-692-6844	† † † †	STUD, THREADED: Sig dwg SM-B-148556			1	0.7	0.4	10		52948
P1 F	5815-324-9262	† † †	SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-3			1	(0.7)	0.4	5		52953
P1 F	5815-392-7886	†	LEVER: Sig dwg SM-B-148565			1	(0.5)	0.3	10		52960A
P1 F	5815-392-7887	† † † †	LATCH, LEVER: Sig dwg SM-B-148567			1	0.5	0.3	10		52963
P1 F	5310-558-3153	† † † †	WASHER, FLAT: (For authorized allowances see Group 1)			1					52988
P1 F	5815-392-7892	† † †	LEVER: Sig dwg SM-B-148608			1	(0.5)	0.3	10		53106
P1 F	5307-639-3317	† † † †	STUD: Sig dwg SM-B-148612			1	0.3	0.2	2		53111
P1 F	5815-393-1925	† † †	SHIELD, CONTACT: Sig dwg SM-B-148615			1	0.7	0.4	5		53116
P1 F	5815-392-7895	† † † †	LEVER: Sig dwg SM-B-148621			1	(0.5)	0.3	10		53129A
P1 F	5315-209-7594	† † † †	PIN, STRAIGHT, HEADED: Sig dwg SM-B-148622			1	0.3	0.2	2		53131
P1 F	5305-297-7694	† † † †	SCREW, MACHINE: Sig dwg SM-B-148648			4	1.4	1.0	40		53183
P1 F	5815-356-3486	† † †	POST, SHOULDERED: Sig dwg SC-B-69807 (Authorized allowances based on a total of 3)			2	0.7	0.4	6		53268
P1 F	5305-393-1931	† † †	POST, SHOULDERED: Sig dwg SM-B-69695 (Authorized allowances based on a total of 2)			1	0.5	0.3	2		53269
P1 F	5815-392-7917	† † † †	BALL, POSITIONING: Sig dwg SM-B-148659			1	0.3	0.2	2		53306A

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5815-392-7920	†	†	†				LINK, CONNECTING: Sig dwg SM-B-148696			1	0.5	0.3	2		53413
	P1	F		5310-298-8157	†	†	†	†			WASHER, FLAT: Sig dwg SM-B-69325-6			1	0.3	0.2	10		53453
	P1	F		5815-092-1442	†	†	†	†			STOP, LEVER, SET: Kleinschmidt part No. 53530A			1	0.5)	0.3	10		53530A
	P1	F		5815-322-5574	†	†	†	†			LEVER, SET: Kleinschmidt part No. 53540A			1	0.5)	0.3	10		53540A
	P1	F		5995-521-7842	†	†	†	†			CABLE, ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL: Kleinschmidt part No. 53545A			1	0.7	0.4	10		53545A
	P1	F		5815-672-0043	†	†	†	†			RING, SET CODE, TELETYPEWRITER: Kleinschmidt part No. 61059A (Item Nos. 53641A,642A,643A,644A 645A)			1	0.5)	0.3	5		See desc column
	P1	F		5815-301-4611	†	†	†	†			RETAINER, BALL: Sig dwg SM-B-148761			6	1.0	0.7	12		53647A
	P1	F		5815-395-9510	†	†	†	†			ARM: Sig dwg SM-B-148776			1	0.3	0.2	10		53807A
	P1	F		5815-703-1623	†	†	†	†			SELECTOR, CONTROL SUB-ASSEMBLY: Kleinschmidt part No. 53809A			1	0.3)	0.2	2		53809A
	P1	F		5815-692-6759	†	†	†	†			BEARING, SLEEVE: Sig dwg SM-B-148780			1	0.3	0.2	5		53867
	P1	F		5815-040-1511	†	†	†	†			COLLAR, SHIFT: Sig dwg SM-B-148781			1	0.3	0.2	2		53868
	P1	F		5815-040-1513	†	†	†	†			FOLLOWER, CAM: Sig dwg SM-B-148782			1	0.3)	0.2	5		53869
	P1	F		5815-395-9511	†	†	†	†			SHAFT: Sig dwg SM-B-148784			1	0.3	0.2	2		53871
	P1	F		5815-399-7877	†	†	†	†			LEVER: Sig dwg SM-B-148788			1	0.5)	0.3	10		53875A
	P1	F		5815-395-9513	†	†	†	†			CAM: Sig dwg SM-B-148791			1	0.3)	0.2	5		53878
	P1	F		5815-395-9514	†	†	†	†			CAM: Sig dwg SM-B-148793			1	0.3)	0.2	5		53881
	P1	F		5815-040-1521	†	†	†	†			FOLLOWER, CAM: Sig dwg SM-B-148794			1	0.3)	0.2	5		53882
	P1	F		5815-395-9515	†	†	†	†			LEVER: Sig dwg SM-B-148796			1	0.5)	0.3	10		53884
	P1	F		5310-537-8632	†	†	†	†			WASHER, FLAT: Sig dwg SM-B-148797			2	0.5	0.3	20		53885
	P1	F		5305-297-3998	†	†	†	†			SCREW, MACHINE: Sig dwg SM-B-148801			3	1.3	0.9	30		53972

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-309-3884	† † † †	COLLAR SHAFT: Sig dwg SM-B-157543			3	0.7	0.4	6		53973
P1 F	5945-257-6365	† † † †	ARMATURE; ELECTROMAGNETIC ACTUATOR: SigC dwg SM-C-157256			1	0.3)	0.2	2		54092A
P1 F	5310-521-8552	† † †	KEY, MACHINE: Sig dwg SM-B-186915			5	0.9)	0.6	25		54566
P1 F	5815-322-5580	† † † †	COLLAR, DRIVE, SHAFT: Sig dwg SM-B-186981-1			1	0.3	0.2	2		54927
P1 F	5815-322-5582	† † † †	CLUTCH, FRICTION: Sig dwg SM-B-186982			1	0.7)	0.4	5		54929A
P1 F	5815-663-3297	† † † †	SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-171533			1	0.7	0.4	5		54933
P1 F	5815-528-5517	† † † †	WASHER, THRUST: Sig dwg SM-B-187020			5	0.9	0.6	15		55001
P1 F	5815-300-5701	† † † †	BRACKET: Sig dwg SM-B-187021			1	0.3	0.2	2		55002
P1 F	5815-600-3048	† † † †	LEVER, UNIT: Sig dwg SM-B-187022 Set of 5			1	0.5)	0.3	10		55004A
P1 F	5815-322-5589	† † †	COLLAR, SPACING: Sig dwg SM-B-187023			1	0.3	0.2	2		55006
P1 F	5815-322-5590	† † † †	SLEEVE, CENTERING: Sig dwg SM-B-187024			1	0.3	0.2	2		55007
P1 F	5815-600-2890	† † † †	STUD, RECESSED AND STEPPED: Sig dwg SM-B-187025			1	0.3	0.2	2		55008
P1 F	5815-834-5528	† † †	SPRING, HELICAL, EXTENSION: Sig dwg SM-B-171739			5	1.9)	1.3	50		55009
P1 F	5815-330-9942	† † †	POST, ECCENTRIC: Sig dwg SC-B-69495			1	0.3	0.2	2		55024
P1 F	5310-595-6161	† † † †	SHIM: Sig dwg SM-B-171646			1	0.3	0.2	10		55076
P1 F	5815-340-3724	† † † †	STUD, ECCENTRIC: Sig dwg SM-B-187080			2	0.5	0.3	4		55173
P1 F	5815-652-4189	† † † †	SPACER: Sig dwg SM-B-187081			1	0.3	0.2	2		55174
P1 F	5815-322-5598	† † † †	BUTTON, PUSH: Sig dwg SM-B-187088			1	0.3	0.2	2		55508
P1 F	5815-322-5599	† † † †	BUTTON, PUSH: Sig dwg SM-B-187092			1	0.3	0.2	2		55513
P1 F	5815-600-2917	† † † †	LINK, CONNECTING: Sig dwg SM-B-187095			1	0.3	0.2	2		55517

Army-Ft Monmouth,NJ-MON 475-43

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-546-6799	†	†	†	†			SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-187096			1	0.7)	0.4	5		55518
P1 F	5815-322-5602	†	†	†	†			SHAFT: Sig dwg SM-B-148790			1	0.3	0.2	2		55522
P1 F	5815-540-2552	†	†	†	†			COLLAR SHAFT: Sig dwg SM-B-187163			1	0.3	0.2	2		55736
P1 F	5815-591-0870	†	†	†	†			STUD, ECCENTRIC: Sig dwg SM-B-187165			3	0.7	0.4	6		55738
P1 F	5340-608-5824	†	†	†	†			LEVER: Sig dwg SM-B-148643			1	0.5)	0.3	10		55740A
P1 F	5815-340-3732	†	†	†	†			ECCENTRIC: Sig dwg SM-B-187361			1	0.3	0.2	2		56076
P1 F	5815-663-3333	†	†	†	†			SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-171535			2	1.0)	0.7	10		56091
P1 F	5307-592-7734	†	†	†	†			STUD, SHOULDER: Sig dwg SM-B-187387			1	0.3	0.2	2		56127
P1 F	5815-600-2901	†	†	†	†			BAR, ADJUSTING: Sig dwg SM-B-187687			1	0.3	0.2	5		56176
P1 F	5815-691-8990	†	†	†	†			SEGMENT, RETAINING: Sig dwg SM-B-148804			1	0.3	0.2	2		56177
P1 F	5815-600-2900	†	†	†	†			BAR, ADJUSTING: Sig dwg SM-B-187409			2	0.5	0.3	10		56178
P1 F	5815-342-6046	†	†	†				BAR, SELECTOR, TELETYPEWRITER: Sig dwg SM-B-187411			1	0.5)	0.3	5		56179
P1 F	5815-219-7023	†	†	†	†			STUD: Sig dwg SC-B-70566			1	0.3	0.2	2		56185A
P1 F	5815-523-8665	†	†	†	†			GEAR, SPUR: Sig dwg SM-B-187463			1	0.7)	0.4	5		56274A
P1 F	5815-323-7323	†	†	†	†			RETAINER, SPRING: Sig dwg SM-B-187464			2	1.0	0.7	4		56277
P1 F	5815-663-3317	†	†	†	†			SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-187874-8			1	0.7)	0.4	5		56279
P1 F	5815-570-3492	†	†	†	†			STOP, LEVER: Sig dwg SM-B-187554			1	0.5	0.3	10		56613A
P1 F	5815- 703-1558	†	†	†				CAM: Sig dwg SC-C-7040			1	0.3)	0.2	5		56618A
P1 F	5815-600-2948	†	†	†	†			LINK, ASSEMBLY: Sig dwg SM-B-187451			1	0.3	0.2	2		56622A
P1 F	5815-570-3491				†			LEVER, SET: Sig dwg SM-B-187564			1	0.5)	0.3	10		56766A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-600-3005	†	†	†	†			COLLAR, CLAMP: Sig dwg SM-B-314726			2	0.5	0.3	20		56832A
P1 F	5815-558-3010	†	†	†	†			SHIM: Sig dwg SM-B-171480			2	0.5	0.3	20		57072
P1 F	5815-586-0404	†	†	†	†			SHIM: Sig dwg SM-B-171620			2	0.5	0.3	20		57073
P1 F	5815-594-3800	†	†	†	†			BUSHING, MACHINE; THREAD: Sig dwg SM-B-49611			3	1.3	0.9	15		57493
P1 F	5815-607-3904				†			CAM, CONTROL: Kleinschmidt part #57893A			1	0.3)	0.2	5		57893A
P1 F	5815-594-4064				†			BAR, SELECTOR, TELETYPEWRITER: Kleinschmidt part No. 57928			1	0.5)	0.3	5		57928
P1 F	5815-677-0527	†	†	†	†			PLATE, RETAINING: Sig dwg SM-B-49620			1	0.3	0.2	2		59332
P1 F	5815-757-2263				†			PLATE, NUT, SPECIAL: Kleinschmidt part No. 60678			1	0.7	0.4	5		60678
P1 F	5815-845-1035				†			SPACER, SLEEVE: Kleinschmidt part 60679			1	0.3	0.2	2		60679
P1 F	5815-889-3216	†	†	†	†			SPRING, HELICAL, EXTENSION: Sig dwg SM-B-342388			5	1.9)	1.3	50		61000
P1 F	5815-791-6061	†	†	†				STOP, LEVER: Sig dwg SM-B-342394 (Formerly Kleinschmidt part No. 50152)			1	0.5	0.3	10		61001
P1 F	5330-784-7868	†	†	†	†			FELT, MECHANICAL, PREFORMED: Kleinschmidt part No.61343A			1	8.0)	3.7	10		61343A
P1 F	5815-575-3568	†	†	†	†			FELT, SET, MECHANICAL PREFORMED: Kleinschmidt part No. 61344A			1	8.0)	3.7	10		61344A
P1 F	5330-840-6519	†	†	†	†			WASHER, NONMETALLIC: (For authorized allowances see Group 3)			3					61467
P1 F	5330-846-7712	†	†	†	†			WASHER, NONMETALLIC: (For authorized allowances see Group 3)			1					61469
P1 F	5330-841-7418	†	†	†	†			WASHER, NONMETALLIC: (For authorized allowances see Group 4)			3					61474
P1 F	5330-841-6380	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61479			1	1.4	1.0	10		61479

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5330-840-6520	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61480			3	3.1	1.3	30		61480
	P1	F		5330-846-7713	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61481			2	2.3	0.9	20		61481
	P1	F		5330-841-6379				†			WASHER, NONMETALLIC: Kleinschmidt part No. 61482			1	1.4	1.0	10		61482
	P1	F		5330-841-7414	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61483			3	3.1	1.3	30		61483
	P1	F		5330-853-5824	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61484			1	1.4	1.0	10		61484
	P1	F		5330-841-7413	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61485 (Authorized allow- based on a total of 2)			1	2.3	0.9	20		61485
	P1	F		5330-840-6521	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61486			1	1.4	1.0	10		61486
	P1	F		5330-853-6382	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61487			1	1.4	1.0	10		61487
	P1	F		5330-841-6382	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61488			1	1.4	1.0	10		61488
	P1	F		5330-841-6384	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61489			1	1.4	1.0	10		61489
	P1	F		5330-840-6516	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61490			2	2.3	0.9	20		61490
	P1	F		5330-840-6514	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61491			1	1.4	1.0	10		614911
	P1	F		5330-841-0915	†	†	†	†			FELT, MECHANICAL, PREFORMED : Kleinschmidt part No. 61496			1	1.4)	1.0	10		61496
	P1	F		5330-853-5824	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61497			2	2.3	0.9	20		61497
	P1	F		5330-850-0086	†	†	†				WASHER, NONMETALLIC: Kleinschmidt part No. 61672			1	1.4	1.0	10		61672
	P1	F		5330-841-7415	†	†	†	†			WASHER, NONMETALLIC: Kleinschmidt part No. 61673			3	3.1	1.3	30		61673

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-475-1174	† † † †	MAGNET, PERMANENT: Kleinschmidt part No. 61973			1	0.3)	0.2	2		61973
P1 F	5815-889-3244	† † † †	SPRING, HELICAL, COMPRESSION: Kleinschmidt part No. 61998			1	0.7)	0.4	5		61998
P1 F	5815-863-5390	†	CAM, CONTROL: Kleinschmidt part No. 62115A			1	0.3)	0.2	5		62115A
P1 F	5815-863-5389	†	LEVER: Kleinschmidt part No. 62128A			1	0.5)	0.3	10		62128A
P1 F	5815-059-8687	†	WASHER, FLAT: Kleinschmidt part No. 62134			2	0.5	0.3	20		62134
P1 F	5310-060-1219	†	WASHER, FLAT: Kleinschmidt part No. 62135			1	0.3	0.2	10		62135
P1 F	5815-059-8683	†	GEAR, SPUR: Kleinschmidt part No. 62136			1	0.7)	0.4	5		62136
P1 F	5815-863-5383	†	LEVER: Kleinschmidt part No. 62139			1	0.5)	0.3	10		62139
P1 F	5815-863-5382	†	LEVER: Kleinschmidt part No. 62140			1	0.5)	0.3	10		62140
P1 F	5815-863-5381	†	LEVER: Kleinschmidt part No. 62141			1	0.5)	0.3	10		62141
P1 F	5815-885-8284	†	BLOCK: Kleinschmidt part No. 62151			2	0.5	0.3	4		62151
P1 F	5815-059-9163	††	SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 62169			1	0.7)	0.4	10		62169

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
			GROUP 7 CHASSIS ASSEMBLY								
P1 F	5305-521-8637	† † † †	SCREW, CAP SOCKET HEAD: (For authorized allowances see Group 1)			3					10001
P1 F	5305-531-9034	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			9					10003
P1 F	5305-274-0401	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			8					10008-01
P1 F	5305-206-2476	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			1					10010
P1 F	5305-543-5891	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10011
P1 F	5305-567-2900	† † † †	SCREW, CAP, SOCKET HEAD: MIL type MS16997-36			4	1.4	1.0	40		10012
P1 F	5305-573-3925	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10017
P1 F	5305-570-6002	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 6)			3					10018
P1 F	5305-537-8200	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 6)			1					10018-01
P1 F	5305-805-6598	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 6)			4					10043
P1 F	5305-546-6876	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 6)			4					10052
P1 F	5305-333-4262	† † † †	SETSCREW: (For authorized allowances see Group 4)			2					10203
P1 F	5305-579-5304	† † † †	SETSCREW: (For authorized allowances see Group 5)			1					10204
P1 F	5305-333-4249	† † † †	SETSCREW: MIL type MS-51019-39			1	0.7)	0.4	10		10206
P1 F	5305-576-5488	† † † †	SETSCREW: (For authorized allowances see Group 6)			4					10208
P1 F	5305-207-8967	† † † †	SETSCREW: (For authorized allowances see Group 3)			6					10209

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5305-333-4254	† † † †	SETSCREW: MIL type MS-51020-51			5	1.9)	1.3	50		10211
P1 F	5305-297-7905	† † † †	SETSCREW: (For authorized allowances see Group 6)			2					10223
P1 F	5305-408-0044	† † † †	SETSCREW: Kleinschmidt part #10224			2	1.0)	0.7	20		10224
P1 F	5305-047-3896	† † † †	SETSCREW: (For authorized allowances see Group 6)			11					10234
P1 F	5305-558-6320	† † † †	SETSCREW: MIL type MS-51019-43			2	1 0)	0.7	20		10237
P1 F	5305-655-9994	† † † †	SETSCREW: Kleinschmidt part 10247			1	0.7)	0.4	10		10247
P1 F	5305-333-5046	† † † †	SCREW, MACHINE: (For authorized allowances see Group 5)			4					10303
P1 F	5310-543-2739	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			2					10404
P1 F	5310-282-9584	† † † †	WASHER, LOCK: (For authorized allowances see Group 6)			9					10405
P1 F	5310-013-1196	† † † †	WASHER, LOCK: MIL type MS-35337-60			1	0.7	0.4	10		10421
P1 F	5310-012-1739	† † † †	WASHER, LOCK: MIL type MS-35337-66			3	1.3	0.9	30		10422
P1 F	5310-515-7997	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			10					10429
P1 F	5310-209-3871	† † † †	WASHER, LOCK: (For authorized allowances see Group 3)			10					10430
P1 F	5310-198-3711	† † † †	WASHER, LOCK: (For authorized allowances see Group 3)			2					10431
P1 F	5310-186-7410	† † † †	WASHER, FLAT: (For authorized allowances see Group 6)			5					10450
P1 F	5340-282-0793	† † † †	RING, RETAINER: Waldes Kohinoor part 5100-31W			1	0.9)	0.6	5		10451
P1 F	5815-537-7636	† † † †	RING, RETAINER: Waldes Kohinoor part 5100-40W			1	0.9)	0.6	5		10453

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-639-8165	† † † †	WASHER, FLAT: (For authorized allowances see Group 3)			5					10458
P1 F	5310-616-3747	† † † †	WASHER, FLAT: (For authorized allowances see Group 3)			7					10459
P1 F	5310-595-5385	† † † †	WASHER, FLAT: (For authorized allowances see Group 4)			8					10467
P1 F	5310-524-0236	† † † †	WASHER, FLAT: Kleinschmidt part #10468			1	0.3	0.2	10		10468
P1 F	5310-551-7541	† † † †	NUT, SELF-LOCKING HEXAGONAL: (For authorized allowances see Group 1)			10					10500
P1 F	5310-523-2035	† † † †	NUT, SELF-LOCKING HEXAGONAL: (For authorized allowances see Group 3)			1					10501
P1 F	5310-489-9725	† † † †	NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 6)			1					10502
P1 F	5310-550-1154	† † † †	NUT, PLAIN HEXAGONAL: (For authorized allowances see Group 1)			1					10504
P1 F	5310-576-5487	† † † †	NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 6)			2					10505
P1 F	5310-521-8558	† † † †	NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 1)			3					10520
P1 F	3120-287-9068	† † † †	BEARING SLEEVE: (For authorized allowances see Group 6)			2					10705
P1 F	3120-287-9007	† † † †	BEARING, SLEEVE: (For authorized allowances see Group 6)			1					10706
P1 F	3120-542-0187	† † † †	BEARING, SLEEVE: (For authorized allowances see Group 6)			2					10708
P1 F	3120-662-2818	† † † †	BEARING SLEEVE: (For authorized allowances see Group 6)			1					10712
9 P1 F	3110-155-9601	† † † †	BEARING, BALL, ANNULAR: (For authorized allowances see Group 6)			2					10755
P1 F	3110-144-8858	† † † †	BEARING, BALL, ANNULAR: (For authorized allowances see Group 5)			1					10575

Army-Ft Monmouth, NJ-MON 475-43

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	3110-144-8841	†	†	†	†			BEARING BALL ANNULAR: Fafnir part 36KDD-FS160			2	1.0	0.7	10		10759
P1 F	5315-054-4094	†	†	†	†			PIN, TAPERED, PLAIN: Kleinschmidt part #10850			2	0.5	0.3	4		10850
P1 F	5315-243-1198	†	†	†	†			PIN, TAPERED, PLAIN: Kleinschmidt part #10851			1	0.3	0.2	2		10851
P1 F	5315-598-6077	†	†	†	†			PIN, TAPERED, PLAIN: Kleinschmidt part #10852			5	0.9	0.6	10		10852
P1 F	5315-298-0856	†	†	†	†			PIN, TAPERED PLAIN: Kleinschmidt part 10854			1	0.3	0.2	2		10854
P1 F	5815-356-3228	†	†	†	†			BALL, POSITIONING: Kleinschmidt part #10908			9	1.3	0.9	9		10908
P1 F	5315-537-7638	†	†	†	†			PIN STRAIGHT HEADLESS: (For authorized allowances see Group 6)			4					10917
P1 F	5315-591-2549	†	†	†	†			PIN, STRAIGHT HEADLESS: Kleinschmidt part #10932			2	0.5	0.3	4		10932
P1 F	5340-282-0813	†	†	†	†			RING, RETAINING: (For authorized allowances see Group 3)			4					10949
P1 F	5340-256-2867	†	†	†	†			RING, RETAINING: (For authorized allowances see Group 1)			6					10960
P1 F	5815-356-3231	†	†	†	†			LEVER: Sig dwg SC-B-70336			1	0.5)	0.3	10		50005A
P1 F	5815-356-3233	†	†	†	†			LEVER: Sig dwg SC-B-69394			1	0.5)	0.3	10		50011
P1 F	5815-351-7882	†	†	†				GEAR SPUR: Kleinschmidt part 50121A			1	0.7)	0.4	5		50121A2
P1 F	5815-378-5592	†	†	†	†			GEAR, CARRIAGE RETURN: Kleinschmidt part #50138A			1	0.7)	0.4	5		50138A
P1 F	5815-523-8656	†	†	†	†			DISK, CLUTCH: Sig dwg SC-B-69500			2	1.0)	0.7	10		50200
P1 F	5815-356-3281	†	†	†	†			GEAR, RATCHET: Sig dwg SC-B-69365			1	0.7)	0.4	5		50201
P1 F	5815-294-7390	†	†	†	†			COLLAR, SHAFT: (For authorized allowances see Group 4)			2					50209
P1 F	5815-598-4961	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-B-69337-1			1	0.7)	0.4	10		50231

Army-ft Monmouth,NJ-MON 47 5-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-598-4962	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-B-69337-2			1	0.7)	0.4	10		50232
P1 F	5815-356-3294	†	†	†	†			CLAPPER, ELECTRIC BELL: Sig dwg SM-B-148744			1	0.3	0.2	2		50244A
P1 F	5815-203-1450	†	†	†	†			GEAR, SPUR: Sig dwg SC-B-69329			1	0.7)	0.4	5		50257
P1 F	5330-351-7892	†	†	†	†			FELT, MECHANICAL PREFORMED: Sig dwg SC-B-69332			2	2.3)	0.9	20		50260
P1 F	5815-351-7893	†	†	†	†			GEAR, WORM: Sig dwg SC-B-69662			1	0.7)	0.4	5		50268
P1 F	5310-521-8741	†	†	†	†			WASHER, FLAT: Sig dwg SC-B-69325-2			1	0.3	0.2	10		50306
P1 F	5815-356-3309	†	†	†	†			CLUTCH, HALF POSITIVE: Sig dwg SC-B-69323			1	0.7)	0.4	5		50331
P1 F	5815-678-0722	†	†	†	†			COLLAR, SHAFT: Sig dwg SC-B-69366			1	0.3	0.2	2		50336
P1 F	5815-203-1730	†	†	†	†			GEAR, SPUR: Sig dwg SC-B-70522			1	0.7)	0.4	5		50354A
P1 F	5815-356-3310	†	†	†	†			CAM: Sig dwg SM-B-148339			1	0.3)	0.2	5		50364A
P1 F	5310-523-2143	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 3)			2					50414
P1 F	5815-356-3334	†	†	†	†			FORK, CLUTCH: (For authorized allowances see Group 3)			1					50484A
P1 F	5815-356-3347	†	†	†	†			SHAFT: Sig dwg SC-C-69367			1	0.3	0.2	2		50525
P1 F	5310-521-8731	†	†	†	†			WASHER, THRUST: Sig dwg SC-B-69526			1	0.3	0.2	10		50827
P1 F	5310-523-2141	†	†	†	†			SHIM: Sig dwg SC-B-69906			2	0.5	0.3	20		50831
P1 F	5815-356-3451	†	†	†	†			LINK, SPACE BAR: Sig dwg SC-B-69348			1	0.3	0.2	5		50864
P1 F	5815-351-7958	†	†	†	†			GEAR, SPUR: Sig dwg SC-B-69352			1	0.7)	0.4	5		50884A
P1 F	5310-521-8730	†	†	†	†			WASHER, FLAT: Sig dwg SC-B-69325			1	0.3	0.2	10		50887
P1 F	5815-237-5896	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-B-69326-1			1	0.7)	0.4	10		50911
P1 F	5340-351-7968	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SC-C-69326-2			1	0.7)	0.4	10		50912

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-598-4983	†	†	†	†			SPRING, HELICAL EXTENSION: (For authorized allowances see Group 6)			1					50916
P1 F	5815-598-4987	†	†	†	†			SPRING,HELICAL EXTENSION: Sig dwg SC-B-69326-18			1	0.7)	0.4	10		50946
P1 F	5310-221-4917	†	†	†	†			NUT PLAIN HEXAGON: Sig dwg SC-B-69368			1	0.7	0.4	10		51079
P1 F	5815-351-7998	†	†	†	†			DISK, DRIVING: Sig dwg SM-B-148362			2	1.0)	0.7	4		51117
P1 F	5310-209-0098	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 6)			1					51408
P1 F	5815-547-7873	†	†	†	†			RING, RETAINING: Sig dwg SC-B-70344			1	0.9)	0.6	5		51651
P1 F	5815-392-9523	†	†	†	†			HUB: Sig dwg SC-B-69643			1	0.3	0.2	2		51668
P1 F	5815-392-9526	†	†	†	†			CLUTCH, FRICTION: Sig dwg SC-B-70343			1	0.7)	0.4	5		51678
P1 F	5815-569-0330	†	†	†	†			NUT, PLAIN ROUND: Sig dwg SC-B-70303			1	0.7	0.4	10		51697
P1 F	5815-392-9541	†	†	†	†			CONNECTOR, ROD END: Sig dwg SC-B-70569			2	0.5	0.3	4		51783
P1 F	5310-395-9639	†	†	†	†			NUT, ANCHOR: Sig dwg SM-B-157024 (Authorized allowances based on a total of 5)			3	1.9	1.3	25		52073
P1 F	5310-537-8633	†	†	†	†			WASHER, FLAT: Sig dwg SM-B-171456-1			2	0.5	0.3	20		52117
P1 F	5340-664-2592	†	†	†	†			WASHER, THRUST: Sig dwg SM-B-171456-2			2	0.5	0.3	20		52118
P1 F	5815-392-7755	†	†	†	†			CRANK, BELL: Sig dwg SM-B-148386			1	0.3	0.2	2		52121A
P1 F	5815-395-9447	†	†	†	†			DISK, SCREW SEAT: Sig dwg SM-B-157048			1	0.7	0.4	2		52159
P1 F	5815-597-2292	†	†	†	†			SPRING, HELICAL EXTENSION: Sig dwg SM-B-157011-2			1	0.7)	0.4	10		52164
P1 F	5815-201-1624	†	†	†	†			SPRING,HELICAL COMPRESSION: Sig dwg SM-B-148310-2			1	0.7)	0.4	10		52259
P1 F	5815-392-7759	†	†	†	†			STUD, ECCENTRIC: Sig dwg SM-B-148434			1	0.3	0.2	2		52318
P1 F	5815-393-1910	†	†	†	†			LEVER: Sig dwg SC-B-70401			1	0.5)	0.3	10		52454
P1 F	5815-537-7667	†	†	†	†			LEVER: Sig dwg SM-B-148490			1	0.5)	0.3	10		52791A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5815-392-7902	†	†	†	†			LINK, CONNECTING: Sig dwg SM-B-148637			1	0.3	0.2	2		53161A
	P1	F		5815-392-7903	†	†	†	†			BRACKET: Sig dwg SM-B-148639			1	0.3	0.2	2		53163A
	P1	F		5815-356-3486	†	†	†	†			POST SHOULDERED: (For authorized allowances see Group 6)			1					53268
	P1	F		5305-393-1931	†	†	†	†			POST SHOULDERED: (For authorized allowances see Group 6)			1					53269
	P1	F		5815-392-7920	†	†	†	†			LINK, CONNECTING: Sig dwg SM-B-148696			1	0.3	0.2	2		53413
	P1	F		5815-395-9502	†	†	†	†			BRACKET: Sig dwg SM-B-148698			1	0.3	0.2	2		53415A
	P1	F		5310-595-6712	†	†	†	†			WASHER, FLAT: SIG dwg SC-B-69389-10			1	0.3	0.2	10		53783
	P1	F		5815-322-5577	†	†	†	†			PAWL: Sig dwg SM-B-186911			1	0.3	0.2	2		54490A
	P1	F		5815-340-3718	†	†	†	†			SHAFT: Sig dwg SM-C-187612			1	0.3	0.2	2		54563
	P1	F		5815-322-5581	†	†	†	†			COLLAR, DRIVE SHAFT: Sig dwg SM-B-171537			3	0.7	0.4	6		54928
	P1	F		5815-322-5583	†	†	†	†			WORM, WHEEL GEAR: Sig dwg SM-B-186983			1	0.7)	0.4	5		54930A
	P1	F		5815-340-3720	†	†	†	†			CLUTCH, FRICTION: Sig dwg SM-B-186882			3	1.3)	0.9	15		54931
	P1	F		5815-663-3298	†	†	†	†			SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-186874-1			2	1.0)	0.7	10		54932
	P1	F		5815-663-3296	†	†	†	†			SPRING, HELICAL COMPRESSION: Sig dwg SM-B-171534			1	0.7)	0.4	5		54934
	P1	F		5815-663-3323	†	†	†	†			SPRING, HELICAL COMPRESSION: Sig dwg SM-B-187591			1	0.7)	0.4	5		55042
	P1	F		5815-594-0001	†	†	†	†			LEVER: Sig dwg SM-B-148773			1	0.5)	0.3	10		55090A
	P1	F		5815-203-1533	†	†	†	†			GEAR, HELICAL: Sig dwg SM-B-187072			1	0.7)	0.4	5		55163
	P1	F		5815-203-1532	†	†	†	†			GEAR, HELICAL: Sig dwg SM-B-187073			1	0.7)	0.4	5		55164
	P1	F		5815-203-1531	†	†	†	†			GEAR, HELICAL: Sig dwg SM-B-187825			1	0.7)	0.4	5		55166
	P1	F		5815-340-3722	†	†	†	†			GEAR, HELICAL: Sig dwg SM-B-187075-1			1	0.7)	0.4	5		55167
	P1	F		5815-340-3723	†	†	†	†			SHAFT: Sig dwg SM-B-187079			1	0.3	0.2	2		55172

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & an/UGC-4 (continued)								
P1 F	5815-600-2915	† † † †	STUD: Sig dwg SM-B-187083			1	0.3	0.2	2		55501
P1 F	5815-600-2916	† † † †	STUD: Sig dwg SM-B-186872			1	0.3	0.2	2		55502
P1 F	5815-600-2924	† † † †	LINK, CONNECTING: Sig dwg SM-B-187085			1	0.3	0.2	2		55504
P1 F	5815-600-2886	† † † †	BELL CRANK: Sig dwg SM-B-187085			1	0.3	0.2	2		55510A
P1 F	5815-340-3734	† † † †	LEVER: Sig dwg SM-B-187440			1	0.5)	0.3	10		56237
P1 F	5815-600-2909	† † † †	LEVER: Sig dwg SM-B-187441			1	0.5)	0.3	10		56238
P1 F	5815-591-0872	† † † †	LEVER: Sig dwg SM-B-187442			1	0.5)	0.3	10		56241A
P1 F	5815-340-3735	† † † †	LEVER: Sig dwg SM-B-187444			1	0.5)	0.3	10		56243A
P1 F	5310-558-6033	† † † †	WASHER, FLAT: Sig dwg SM-B-187831			1	0.3	0.2	10		56254
P1 F	5815-534-3034	† † † †	SPRING, HELICAL EXTENSION: Sig dwg SM-B-171541			1	0.7)	0.4	10		56258
P1 F	5815-600-2011	† † † †	LEVER: Sig dwg SM-B-187457			1	0.5)	0.3	10		56265A
P1 F	5815-523-8664	† † † †	SPRING, HELICAL TORSION: Sigdwg SM-B-187460			1	0.7)	0.4	5		56269
P1 F	5815-607-3890	† † † †	LEVER: Sig dwg SM-B-187467			1	0.5)	0.3	10		56283
P1 F	5815-547-7906	† † † †	SHAFT: Kleinschmidt part #56829			1	0.3	0.2	2		56829
P1 F	5815-600-3005	† † † †	COLLAR, CLAMP: Sig dwg SM-B-314726			3	0.7	0.4	6		54926
P1 F	5815-579-6004	† † † †	SHIM: Sig Dwg SC-B-69389-6			1	0.3	0.2	10		57717
P1 F	5815-594-4056	† † † †	BRACKET: Kleinschmidt part 57910			1	0.3	0.4	2		57910A
P1 F	5815-594-4065	† † † †	CLUTCH, HALF POSITIVE: Kleinschmidt part #57930A			1	0.7)	0.4	5		57930A
P1 F	5815-059-8686	† † † †	CLUTCH, CARRIAGE RETURN DRIVING: Kleinschmidt part 57933A			1	0.7)	0.4	5		57933A
P1 F	5815-703-1518	† † † †	SHAFT: Kleinschmidt part #59394			1	0.3	0.2	2		59394
P1 F	3110-844-0675	† † † †	BEARING, SLEEVE: Sig dwg SM-B-34231			1	0.3	0.2	5		59398
P1 F	5815-594-4116	† † † †	CRANK, BELL: Kleinschmidt part #59441A			1	0.3	0.2	2		59441A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5815-652-5682	† † † †	COLLAR, TANG DRIVE: Sig dwg SM-B-171518			1	0.3	0.2	2		59447A
P1 F	5815-791-6061	† † † †	STUD, ECCENTRIC: Kleinschmidt part #61001			1	0.3	0.2	2		61001
P1 F	5330-720-3361	† † † †	WASHER, NON-METALLIC: Kleinschmidt part #61475			8	6.6	3.1	80		61475
P1 F	5330-841-7413	† † † †	WASHER, NONMETALLIC: (For authorized allowances see Group 6)			1					61485
P1 F	5330-844-0678	† † † †	WASHER, NON-METALLIC: Kleinschmidt part #61492			1	1.4	1.0	10		61492
P1 F	5330-841-6387	† † † †	WASHER, NONMETALLIC: Kleinschmidt part #61667			1	1.4	1.0	10		61667
P1 F	5330-843-3098	† † † †	WASHER, NONMETALLIC: Kleinschmidt part #61677			1	1.4	1.0	10		61677
P1 F	5330-841-7416	† † † †	WASHER, NONMETALLIC: Kleinschmidt part #61678			1	1.4	1.0	10		61678
P1 F	5815-064-6169	† † † †	GEAR, CARRIAGE RETURN:Kleinschmidt part #64926A			1	0.7)	0.4	5		64926A
			GROUP 8 BASE ASSEMBLY								
P1 F	5910-112-8323	† † † †	CAPACITOR, FIXED, PAPER DIELECTRIC: 0.5 mfd, ±5%, 600vdc; MIL type Cp54B1DF504K			1	0.7)	0.4	10		C1
P1 F	5910-666-8278	† † † †	CAPACITOR, FIXED, PAPER DIELECTRIC: 0.1 mfd, +25%-15%, 600vdc; MIL type CP08A1KF104K			1	0.7)	0.4	10		C2
P1 F	5910-240-7774	† † † †	CAPACITOR, FIXED, PAPER DIELECTRIC: 0.05 mfd, +20%-10%, 200vdc; Sprague part 79P9			2	1.0)	0.7	20		C3,C4
P1 F	5910-649-3118	† † † †	CAPACITOR, FIXED, ELECTROLYTIC: 20 mfd +20%-10%, 200vdc; Kleinschmidt part #20213			2	2.3)	0.9	20		C5,C6
P1 F	6130-523-5816	† † † †	RECTIFIER, METALLIC: Sig dwg SM-B-186908			1	0.7)	0.4	10		CR1

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 R	5945-523-2001	† † † †	RELAY ASSEMBLY: Auto Elec part PP-1891-2			1	0.7)	0.4	10		E1
P1 Q	5920-581-4144	† † † †	FUSE, CARTRIDGE: Bussman PN MDX-2			1	12.1)	10.3	75		F1
P1 Q	5920-142-4837	† † † †	FUSE, CARTRIDGE: MIL type F02GR062A			1	12.1)	10.3	75		F4
P1 R	5935-524-5541	† † † †	CONNECTOR, RECEPTACLE ELECTRICAL: Amphenol part 126-198			3	1.3)	0.9	30		J2,5,8
P1 F	5935-149-3230	† † † †	CONNECTOR, RECEPTACLE, ELECTRICAL: MIL type AN-3102A-14S-2S			1	0.7)	0.4	10		J3
P1 F	5815-301-4610	† † † †	CONTACT ASSEMBLY, ELECTRICAL: Sig dwg SM-B-148697			1	0.7)	0.4	2		J4A
P1 F	5815-537-7677	† † † †	CONTACT ASSEMBLY, ELECTRICAL: Sig dwg SM-B-148699			1	0.7)	0.4	10		J4B
P1 F	5935-521-0537	† † † †	CONNECTOR, RECEPTACLE ELECTRICAL: Sig dwg SM-B-148662			1	0.7)	0.4	10		J6
P1 F	5935-259-6808	† † † †	CONNECTOR, RECEPTACLE ELECTRICAL: Amphenol part 26-190-16			1	0.7)	0.4	10		J7
P1 F	5935-283-3825	† † † †	JACK TIP: Johnson part 105-603-1			2	1.0)	0.7	4		J9,J10
P1 F	5935-129-9358	† † † †	SOCKET, ELECTRON TUBE: MIL type TS101P02			1	0.7)	0.4	5		J11
P1 F	5935-636-7145	† † † †	CONNECTOR, PLUG, ELECTRICAL: MIL type UP121M			1	0.7)	0.4	10		P1
P1 F	5905-577-0699	† † † †	RESISTOR, FIXED, WIREWOUND: 150 ohm ±7 1/2%, 38w; Sig dwg SM-B-171508			1	0.7)	0.4	10		R1
P1 F	5905-508-0563	† † †	RESISTOR, FIXED, WIREWOUND: 5600 ohms, ±5%, 8w; MIL type RW30G562			1	0.7)	0.4	10		R2
P1 F	5905-283-7507	† † †	RESISTOR, FIXED, WIREWOUND: 1000 ohm, ±5%, 8w; MIL type RW30G102			1	0.7)	0.4	10		R3
P1 F	5905-549-7222	† † †	RESISTOR, FIXED, WIREWOUND: 2000 ohm, ±5%, 11w; MIL type RW30V202			1	0.7)	0.4	10		R6

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5905-508-0819	† † †	RESISTOR, FIXED, WIREWOUND: 8000 ohm, ±7%, 8w; MIL type RW30G802			1	0.7)	0.4	10		R7
P1 F	5905-508-0561	†	RESISTOR, FIXED, WIREWOUND: 4000 ohm, ±7 1/2%, 8w; Kleinschmidt part 20038			2	1.0)	0.7	20		R8,R11
P1 F	5905-108-6308	† †	RESISTOR, VARIABLE: 5000 ohm, ±10%, 25w; MIL type RP101SA502KK			1	0.7)	0.4	10		R8
		†				1	0.7)	0.4	10		R10
P1 F	5930-752-2672	† † † †	SWITCH, TOGGLE: MIL type MS-35059-23			1	0.7)	0.4	10		S2
P1 F	5930-655-1521	† † † †	SWITCH, TOGGLE: MIL type MS-35058-29			1	0.7)	0.4	10		S3
P1 F	5930-050-2704	† † † †	SWITCH, TOGGLE: MIL type MS-35059-9			1	0.7)	0.4	10		S4
P1 F	5930-655-1514	† † † †	SWITCH, TOGGLE: MIL type MS-35058-22			2	1.0)	0.7	20		S5,S6
P1 F	5930-507-8228	† † † †	SWITCH, ROTARY: Kleinschmidt part No. 20130			1	0.7)	0.4	10		S7
P1 F	5930-508-0562	†	SWITCH, ROTARY: Kleinschmidt part 20129			1	0.7)	0.4	10		S8
P1 F	5930-346-1715	†	CONTACT ASSEMBLY, ELECTRICAL: Kleinschmidt part No. 56636A			1	0.7)	0.4	10		S12
P1 F	5940-549-1030	† † † †	TERMINAL BOARD: Kleinschmidt part #20370A			1	0.3)	0.2	5		TB1
P1 F	5940-655-1124	† † † †	TERMINAL BOARD: Kleinschmidt part #20385			1	0.3)	0.2	5		TB2
P1 F	5920-556-0144	† † † †	FUSEHOLDER: MIL type FHN20G			2	1.0)	0.7	20		XF1,XF2
P1 F	5915-393-1813	† † † †	FILTER, RADIO INTERFERENCE: Sig dwg SM-B-171582			1	0.7)	0.4	5		Z1
P1 F	5915-505-7193	† † † †	FILTER, RADIO INTERFERENCE: Kleinschmidt part No. 54582			1	0.7)	0.4	5		Z3
P1 F	5305-514-7728	† † † †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 6)			2					10006

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
																		FIGURE NO.	ITEM NO.
A	B	C	D								AN/FGC-20X & AN/UGC-4 (continued)								
	P1	F		5305-274-0401	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			37					10008-01
	P1	F		5305-206-2476	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			2					10010
	P1	F		5305-274-0399	†	†	†	†			SCREW, CAP, SOCKET HEAD: MIL type MS-35461-3			1	0.7	0.4	10		10010-01
	P1	F		5305-297-7962	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			2					10025
	P1	F		5305-545-8374	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 6)			4					10032
	P1	F		5305-550-2512	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10032-01			2	1.0	0.7	20		10032-01
	P1	F		5305-545-8342	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #10042-01			4	1.4	1.0	40		10042-01
	P1	F		5305-579-1518	†	†	†	†			SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			4					10050
	P1	F		5305-698-5294	†	†	†	†			SCREW, MACHINE: Kleinschmidt part No. 10179			9	2.7	1.1	90		10179
	P1	F		5305-655-9358	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10186			4	1.4	1.0	40		10186
	P1	F		5305-298-7831	†	†	†	†			SCREW, MACHINE: (For authorized allowances see Group 1)			8					10301
	P1	F		5305-208-7907	†	†	†	†			SCREW, MACHINE: (For authorized allowances see Group 1)			6					10308
	P1	F		5305-207-7484	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #10357			2	1.0	0.7	20		10357
	P1	F		5305-207-5582	†	†	†	†			SCREW, MACHINE: (For authorized allowances see Group 1)			8					10393
	P1	F		5310-282-9587	†	†	†	†			WASHER, LOCK: Shakeproof part 1705-00			2	1.0	0.7	20		10402
	P1	F		5310-209-3990	†	†	†	†			WASHER, LOCK: (For authorized allowances see Group 3)			20					10403

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-543-2739	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			26					10404
P1 F	5310-282-9584	† † † †	WASHER, LOCK: (For authorized allowances see Group 6)			8					10405
P1 F	5310-261-6197	† † † †	WASHER, LOCK: (For authorized allowances see Group 6)			2					10406
P1 F	5310-550-3715	† † † †	WASHER, LOCK: MIL type MS-35333-70			4	1.4	1.0	40		10408
P1 F	5310-515-7997	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			14					10429
P1 F	5310-209-3871	† † † †	WASHER, LOCK: (For authorized allowances see Group 3)			44					10430
P1 F	5310-013-1116	† † † †	WASHER, LOCK: (For authorized allowances see Group 1)			2					10432
P1 F	5310-596-4547	† † † †	WASHER, SHOULDERED: Ohmite part 6001			2	0.5	0.3	20		10456
P1 F	5310-537-8315	† † † †	WASHER, FLAT: Kleinschmidt part #10457			2	0.5	0.3	20		10457
P1 F	5310-639-8165	† † † †	WASHER, FLAT: (For authorized allowances see Group 3)			2					10458
P1 F	5310-595-5385	† † † †	WASHER, FLAT: (For authorized allowances see Group 4)			6					10467
P1 F	5310-261-7155	† † † †	WASHER, LOCK: Shakeproof part 1724-02			3	1.3	0.9	30		10478
P1 F	5310-523-2035	† † † †	NUT, SELF-LOCKING HEXAGONAL: (For authorized allowances see Group 3)			5					10501
P1 F	5310-596-8272	† † † †	NUT, PLAIN HEXAGONAL: (For authorized allowances see Group 1)			8					10511
P1 F	5310-208-4124	† † † †	NUT, PLAIN HEXAGONAL: (For authorized allowances see Group 6)			1					10516
P1 F	5310-221-4916	† † † †	NUT, PLAIN, HEXAGONAL: (For authorized allowances see Group 1)			4					10517
P1 F	5310-264-6799	† † † †	NUT SELF-LOCKING HEXAGONAL: ESNA part F22NTE-048			1	0.9)	0.6	10		10534

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											AN/FGC-20X & AN/UGC-4 (continued)								
	Pl	F		5310-510-4772	†	†	†	†			NUT, SELF-LOCKING HEXAGONAL: ESNA part No. F92-1660-40			12	5.3)	2.4	120		10551
	Pl	F		5340-355-9765	†	†	†	†			MOUNT, VIBRATION: Lord part 150 PLN-20			4	0.8	0.5	4		10911
	Pl	F		5305-584-7953	†	†	†	†			SCREW, CAP, SOCKET HEAD: Kleinschmidt part #11502			4	1.4	1.0	40		11502
	Pl	F		5305-826-7780	†	†	†	†			SCREW, MACHINE: Kleinschmidt part #11700			1	0.7	0.4	10		11700
	Pl	C		5920-283-7178	†	†	†	†			CAP, ELECTRICAL: Littelfuse part 342003SA2			1	0.7)	0.4	10		20460
5	Pl	F		6145-643-0028	†	†	†	†			CABLE, POWER, ELECTRICAL: MIL type CO-02MGF(2/18) SJ0375 (Authorized allowances will be a minimum of or a multiple of 8 ft)	ft		8	*)	-*	120		20640-01
	Pl	F		5940-231-4430	†	†	†	†			TERMINAL, LUG: Amp part 7-32562			17	4.6	2.0	170		20706
	Pl	F		5940-256-9947	†	†	†	†			TERMINAL, LUG: (For authorized allowances see Group 1)			4					20707
	Pl	F		5940-050-6212	†	†	†	†			TERMINAL, LUG: (For authorized allowances see Group 1)			1					20708
	Pl	F		5940-231-4431	†	†	†	†			TERMINAL, LUG: AMP part C-36			1	0.7	0.4	10		20710
	Pl	F		5325-174-5331	†	†	†	†			GROMMET RUBBER: Atlantic India part 2538			2	1.0	0.7	10		20726
	Pl	F		5940-549-8991	†	†	†	†			TERMINAL LUG: Amp part 34123			2	1.0	0.7	20		20766
	Pl	F		5325-319-0661	†	†	†	†			BUSHING: Kleinschmidt part #20835			1	0.3	0.2	5		20835
	Pl	F		5940-271-7322	†	†	†	†			TERMINAL, LUG: (For authorized allowances see Group 3)			2					20838
	Pl	F		5310-521-8729	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 4)			2					50315
	Pl	F		5310-521-8734	†	†	†	†			WASHER, FLAT: (For authorized allowances see Group 6)			4					50494

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 R	5310-638-5177	† † † †	WASHER, FLAT: Sig dwg SC-B-70179			4	0.8	0.5	40		50862
P1 F	5307-638-0081	† † † †	STUD, EXTENSION: Sig dwg SC-B-69836			4	0.8	0.5	8		51058
P1 F	5310-395-9639	† † † †	NUT, ANCHOR: (For authorized allowances see Group 7)			2					52073
P1 F	5815-324-9265	† † † †	CAM, CLAMPING: Sig dwg SM-B-187026-1			1	0.3	0.2	5		55501A
P1 F	5340-324-8857	† † † †	KNOB: Sig dwg SM-B-187029			2	0.5	0.3	10		55013
P1 F	5815-527-1192	† † † †	SPRING,HELICAL EXTENSION: Sig dwg SM-B-171540			2	1.0)	0.7	20		55014
P1 F	5815-324-9266	† † † †	CAM, CLAMPING: Sig dwg SM-B-171626			1	0.3	0.2	5		55015A
			GROUP 9 POWER SUPPLY PP-978/FG								
P1 R	5910-543-9468		CAPACITOR, FIXED, ELECTROLYTIC: MIL type CE41C301J			2	2.3)	0.9	10		C7,C8
P1 F	6130-889-1164		SEMICONDUCTOR DEVICE DIODE: Canoll-Lovitt part 1-62978-7			1	0.9)	0.6	10		CR2
P1 O	5920-043-2641		FUSE, CARTRIDGE: MIL type F02GR250A			1	12.1)	10.3	75		F2
P1 F	5905-100-6266		RESISTOR, FIXED, WIREWOUND: MIL type RW33G502			1	0.7)	0.4	10		R5
P1 F	5950-545-7700		TRANSFORMER POWER STEP-DOWN AND STEP-UP: Sig dwg SM-C-148765			1	0.7)	0.4	5		T1
P1 F	5920-847-0856		FUSEHOLDER: Littelfuse part 342004			1	0.7)	0.4	10		XF2
P1 F	5305-531-9034		SCREW, CAP, SOCKET HEAD: Kleinschmidt part 10003			4	1.4	1.0	40		10003
P1 F	5305-655-9483		SCREW, CAP, SOCKET HEAD: MIL type MS-16998-11			4	1.4	1.0	40		10005
P1 F	5305-533-5362		SCREW, CAP, SOCKET HEAD: MIL type MS-16998-26			2	1.0	0.7	20		10015
P1 F	5305-537-8241		SCREW, MACHINE: Kleinschmidt part 10111			4	1.4	1.0	40		10111

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5305-576-6445		SCREW, TAPPING THREAD FORMING: Kleinschmidt part No. 10337			2	1.0	0.7			10337
P1 F	5305-297-7670		SCREW, MACHINE: Kleinschmidt part No. 10361			1	0.7	0.4	10		10361
P1 F	5310-282-9584		WASHER, LOCK: MIL type MS35333-73			4	1.4	1.0	40		10405
P1 F	5310-515-7997		WASHER, LOCK: MIL type MS35339-41			4	1.4	1.0	40		10429
P1 F	5310-551-7541		NUT, SELF-LOCKING, HEXAGONAL: ESNA part F22-NTM-60			4	2.3)	0.9	40		10500
P1 F	5310-523-2035		NUT, SELF-LOCKING HEXAGONAL: ESNA Part F22-NTM-82			3	1.9)	1.3	30		10501
P1 F	5310-523-2029		NUT, SELF-LOCKING HEXAGONAL: ESNA part F22-NTM-02			2	1.4)	1.0	20		10525
P1 F	5310-639-8214		NUT, SHEET SPRING: Kleinschmidt part No. 10543			4	0.8	0.5	8		10543
P1 O	5920-823-3246		CAP, ELECTRICAL: Littelfuse part 342004-SA2			1	0.9)	0.6	10		20458
P1 F	5995-301-4448		CONNECTOR, PLUG, ELECTRICAL: Sig dwg SM-B-148798-1			1	0.7)	0.4	10		53897
P1 F	5995-096-7076		CONNECTOR, PLUG, ELECTRICAL: Sig dwg SM-B-148798-2			1	0.7)	0.4	10		53898
P1 F	5995-096-7077		CONNECTOR, PLUG, ELECTRICAL: Sig dwg SM-B-148798-3			1	0.7	0.4	10		53899
			GROUP 10 TABLE TELETYPEWRITER FN-59/FG								
P1 F	5305-298-8568		SCREW, MACHINE: Kleinschmidt part 10310			4	1.4	1.0	40		10310
P1 F	5305-208-7262		SCREW, MACHINE: Kleinschmidt part 10314			8	2.7	1.1	80		10314
P1 F	5310- 515-7997		WASHER, LOCK: MIL type MS-35339-41			4	1.4	1.0	40		10429

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-20X & AN/UGC-4 (continued)								
P1 F	5310-209-3871		WASHER, LOCK: MIL type MS-35339-61			4	1.4	1.0	40		10430
P1 F	5310-198-3711		WASHER, LOCK: MIL MS-35339-62			8	2.7	1.1	80		10431
P1 F	5310-429-2274		WASHER, FLAT: Kleinschmidt part 10463			4	0.8	0.5	40		10463
P1 F	5310-576-5487		NUT, PLAIN, HEXAGONAL: Kleinschmidt part 10505			4	1.4	1.0	40		10505
P1 F	5310-297-8940		NUT, PLAIN, HEXAGONAL: Kleinschmidt part 10512			4	1.4	1.0	40		10512
P1 F	5310-561-0971		NUT, SHEET SPRING: Tinnerman Cat C-917-102-1			25	2.7	1.1	50		10530
P1 F	5340-282-0813		RING, RETAINING: Waldes Kohinoor part 5133-18-S-PP			2	1.4)	1.0	20		10949
P1 F	5815-561-0968		FOOT, MOUNTING: Kleinschmidt part 10973			2	0.5	0.3	4		10973
P1 F	5340-205-4731		RING, RETAINING: Waldes Kohinoor part 5133-9-S-MD			2	1.4)	1.0	20		10981
P1 F	5815-201-1624		SPRING, HELICAL, COMPRESSION: Sig dwg SM-B-148310-2			2	1.0)	0.7	10		52259
P1 F	5815-566-7074		FOOT, MOUNTING: Sig dwg SM-B-171444			2	0.5	0.3	4		55538
P1 F	5815-663-3349		SPRING, HELICAL, TORSION: Sig dwg SM-B-187108			1	0.7)	0.4	2		55551

By Order of Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:
J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

CNGB (1)
CofT (1)
CofEngrs (1)
TSG (1)
CofSptS (1)
OCC-E (7)
USAARMBD (2)
USAARTYBD (2)
USAADBD (2)
USCONARC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3) except
  USARYIS (2)
OS Base Comd (2)
LOGCOMD (2)
USAMC (5)
USAMICOM (4)
USAAVCOM (1)
USAECOM (7)
USASMCOM (2)
USASCC (4)
USACDCQMA (2)
USACDCARTYA (2)
USACDCMSA (2)
USACECOA (2)
USACDCARMA (2)
USACDCSWA (2)
USACDCTA (2)
Svc Colleges (2)
Br Svc Sch (2)
Armies (2)
Corps (2)
USA Corps (2)
MDW (1)
GENDEP (OS) (2)
Sig Dep (OS) (12)
Sig Sec GENDEP (OS) (5)
A Dep (2) except
  Tobyhanna (12)
  Lexington (12)
  Sacramento (28)
  Ft Worth (8)
  Letterkenny (5)
  Sharpe (3)
  Navajo (5)
  Savanna (5)
  Charleston (3)
  Umatilla (5)
USACDCCEA (1)
USACDCCEA: Ft Monmouth Ofc (1)
USARSOUTHCOM Sig Agcy (1)
USASTC (3)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC Inf (3)
WRAMC (1)
Army Pic Cen (2)
BAMC (3)
Instl (2) except
  Ft Monmouth (63)
  Ft Hancock (4)
  Ft Monroe (3)
  Ft Gordon (4)
  Ft Huachuca (10)
ARMISH (2)
AMS (1)
MAAG:
  Iran (2)
  Korea (2)
JUSMMAT (2)
11th Air Assault Div (3)
USAERDAW (13)
1st GM Bde (2)
Army Tml (1) except
  Oakland (5)
POE (1)
Sig Fld Maint Shops (3)
Chicago Proc Dist (1)
CRREL (2)
Units org under fol TOE:
  (2 copies each UNOINDC)
  11-5
  11-7
  11-15
  11-16
  11-17
  11-18
  11-32
  11-35
  11-36
  11-37
  11-38
  11-39
  11-55
  11-56
  11-57
  11-95
  11-97
  11-98
  11-99
  11-117
  11-155
  11-157
  11-158
  11-237
  11-500 (AA-AE) (4)
  11-557
  11-587
  11-592
  11-597

NG: None.
USAR: None.
For explanation of abbreviations used, see AR 320-50.